PKC (phospho Thr497) Polyclonal Antibody

Catalog No: #13618

Package Size: #13618-1 50ul #13618-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

| Product Name | PKC (phospho Thr497) Polyclonal Antibody |
|-----------------------|--|
| Host Species | Rabbit |
| Purification | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific |
| | immunogen. |
| Applications | WB,IHC-p,IF/ICC,ELISA |
| Species Reactivity | Human,Mouse,Rat |
| Specificity | Phospho-PKC (T497) Polyclonal Antibody detects endogenous levels of PKC protein only when |
| | phosphorylated at T497. |
| Immunogen Description | The antiserum was produced against synthesized peptide derived from human PKC-pan around the |
| | phosphorylation site of Thr497. AA range:623-672 |
| Other Names | PRKCA; PKCA; PRKACA; Protein kinase C alpha type; PKC-A; PKC-alpha; PRKCB; PKCB; PRKCB1; Protein |
| | kinase C beta type; PKC-B; PKC-beta; PRKCD; Protein kinase C delta type; Tyrosine-protein kinase PRKCD; |
| | nPKC-delta; PRKCE; PKCE; Protein kinase |
| Accession No. | Swiss |
| | Prot:P17252/P05771/Q05655/Q02156/P05129/P24723/Q04759/Q05513GeneID:5578/5579/5580/5581/5582/5 |
| | 583/5588/5590 |
| Uniprot | P17252/P05771/Q05655/Q02156/P05129/P24723/Q04759/Q05513 |
| GeneID | 5578/5579/5580/5581/5582/5583/5588/5590 |
| SDS-PAGE MW | 83 |
| Concentration | 1 mg/ml |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Storage | -20°C/1 |

Application Details

Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications.

Background

protein kinase C alpha(PRKCA) Homo sapiens Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be activated by calcium and the second messenger diacylglycerol. PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signaling pathways. PKC family members also serve as major receptors for phorbol esters, a class of tumor promoters. Each member of the PKC family has a specific expression profile and is believed to play a distinct role in cells. The protein encoded by this gene is one of the PKC family members. This kinase has been reported to play roles in many different cellular processes, such as cell adhesion, cell transformation, cell cycle checkpoint, and cell volume control. Knockout studies in mice suggest that this kinase may be a fundamental regulator of cardiac contractility and Ca(2+) handling in myocytes. [provided by RefSeq, Jul 2

Note: This product is for in vitro research use only