Bmx (phospho Tyr40) Polyclonal Antibody

1 mg/ml

-20°C/1

Catalog No: #14040

Package Size: #14040-1 50ul #14040-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Product Name	Bmx (phospho Tyr40) Polyclonal Antibody
Floudet Name	Bilix (priosprio Tyr40) Polycional Antibody
Host Species	Rabbit
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific
	immunogen.
Applications	WB,IHC-p,IF/ICC,ELISA
Species Reactivity	Human,Mouse
Specificity	Phospho-Bmx (Y40) Polyclonal Antibody detects endogenous levels of Bmx protein only when phosphorylated
	at Y40.
Immunogen Description	The antiserum was produced against synthesized peptide derived from human ETK around the
	phosphorylation site of Tyr40. AA range:6-55
Other Names	BMX; Cytoplasmic tyrosine-protein kinase BMX; Bone marrow tyrosine kinase gene in chromosome X protein;
	Epithelial and endothelial tyrosine kinase; ETK; NTK38
Accession No.	Swiss Prot:P51813GeneID:660
Uniprot	P51813
GeneID	660
SDS-PAGE MW	78

Application Details

Concentration

Formulation

Storage

Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications.

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Background

BMX non-receptor tyrosine kinase (BMX) Homo sapiens This gene encodes a non-receptor tyrosine kinase belonging to the Tec kinase family. The protein contains a PH-like domain, which mediates membrane targeting by binding to phosphatidylinositol 3,4,5-triphosphate (PIP3), and a SH2 domain that binds to tyrosine-phosphorylated proteins and functions in signal transduction. The protein is implicated in several signal transduction pathways including the Stat pathway, and regulates differentiation and tumorigenicity of several types of cancer cells. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Mar 2016],

Note: This product is for in vitro research use only