

Human BCMA Protein, hFc-His Tag

Catalog No: #AP89528

Package Size: #AP89528-1 10ug #AP89528-2 100ug

Orders: order@signalwayantibody.com

Support: tech@signalwayantibody.com

Description

Product Name	Human BCMA Protein, hFc-His Tag
Host Species	HEK293
Purification	The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.
Species Reactivity	Human
Immunogen Description	BCMA(Met1-Ala54)+hFc(Glu99-Ala330)+6xHis tag
Other Names	TNFRSF17, CD269, BCM, BCMA
Calculated MW	39-42 kDa
Tag Info	C-Human Fc and 6xHis tag
Formulation	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants before lyophilization.
Storage	Store at -80°C for 12 months (Avoid repeated freezing and thawing)

Images




Figure 1. Human BCMA, hFc-His Tag on SDS-PAGE under reducing condition.




Figure 1. Human BCMA, hFc-His Tag on SDS-PAGE under reducing condition.



BCMA(Met1-Ala54)

hFc(Glu99-Ala330)

6×His tag

Product Description

Expression Region:710Research Topic:B-cell maturation protein (BCMA or BCM), is also known as Tumor necrosis factor receptor superfamily member 17 (TNFRSF17), which is encoded by the TNFRSF17 gene. TNFRSF17 is a cell surface receptor of the TNF receptor superfamily which recognizes B-cell activating factor (BAFF). This receptor is expressed in immune organs and mature B cell lines. BCMA promotes B-cell survival and plays a role in the regulation of humoral immunity. BCMA can activate NF-kappa-B and JNK.

Note: This product is for in vitro research use only