Recombinant Human C-C motif chemokine 8

Catalog No: #AP72482



Package Size: #AP72482-1 20ug #AP72482-2 100ug #AP72482-3 1mg

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

	മല	١'n	\sim	\mathbf{a}	n
\boldsymbol{L}	esc	/I II	υu	v	
		١ ١			

Product Name	Recombinant Human C-C motif chemokine 8	
Brief Description	Recombinant Protein	
Host Species	Yeast	
Purification	Greater than 90% as determined by SDS-PAGE.	
Immunogen Description	Expression Region:24-99aaSequence Info:Full Length	
Other Names	HC14Monocyte chemoattractant protein 2Monocyte chemotactic protein 2;MCP-2Small-inducible cytokine A8	
Accession No.	P80075	
Uniprot	P80075	
GeneID	6355;	
Calculated MW	10.9 kDa	
Tag Info	N-terminal 6xHis-tagged	
Target Sequence	QPDSVSIPITCCFNVINRKIPIQRLESYTRITNIQCPKEAVIFKTKRGKEVCADPKERWVRDSMKHLDQIFQNLKP	
Formulation	Tris-based buffer50% glycerol	
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability	
	of the protein itself.	
	Generally, the shelf life of liquid form is 6 months at -20°C,-80°C. The shelf life of lyophilized form is 12 months	
	at -20°C,-80°C.Notes:Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for	
	up to one week.	

Background

Chotactic factor that attracts monocytes, lymphocytes, basophils and eosinophils. May play a role in neoplasia and inflammatory host responses. This protein can bind heparin. The processed form MCP-2(6-76) does not show monocyte chotactic activity, but inhibits the chotactic effect most predominantly of CCL7, and also of CCL2 and CCL5 and CCL8.

References

Complete crystal structure of monocyte chemotactic protein-2, a CC chemokine that interacts with multiple receptors.Blaszczyk J., Coillie E.V., Proost P., Damme J.V., Opdenakker G., Bujacz G.D., Wang J.M., Ji X.Biochemistry 39:14075-14081(2000)Research Topic:Immunology

Note: This product is for in vitro research use only