

Recombinant human Uncharacterized protein C1orf106

Catalog No: #AP73068

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Package Size: #AP73068-1 20ug #AP73068-2 100ug #AP73068-3 1mg

Description

Product Name	Recombinant human Uncharacterized protein C1orf106
Brief Description	Recombinant Protein
Host Species	Yeast
Purification	Greater than 90% as determined by SDS-PAGE.
Immunogen Description	Expression Region:1-578aaSequence Info:Full Length
Accession No.	Q3KP66
Uniprot	Q3KP66
GeneID	55765;
Calculated MW	65.5 kDa
Tag Info	N-terminal 6xHis-tagged
Target Sequence	MLQMPKLNIEIPPGRAGRREARGEGRWPGQTGPEAARLEWRAQQGAGGARAPWDSWGSSRLPTQPGPGW SRCPPSLLCALSFQKSTMESKDEVSDDTSGIILQSGPDSFVSPMKELTHAVHKQQRALLEARLEACLEELRRLC LREAELTGTLPAEYPLKPGEKAPKVRRRIGAAAYKLDDWALHREDPLSSLERQLALQLQITEAARRLCLEENLSR QARRQRKHSMLQEEKLQELQRCLVERRRSEPPPAALPLGRELSASDDSSLSDGLLLEEEESQVPKPPPE SPAPPSRPLPPQTLEGLQPTGPEAGSPERAPVQNSPWKETS LDHPYEKPKRSSEPWSESSPATTPODQGPS ASSLWLEPASYHVVPPIRGVPGQWQGRTSAPATPEIQRRGQSQSLRVDSFRAGPEGRGRSAFPRRRPTHY TVTVPDSCFPATKPLPHAACHSCSEDSGSDVSSISHPTSPGSSSPDISFLQPLSPPKTHRHGAWVPAGSRE LVAHHPKLLLPPGYFPAGRYVVAESPLPPGEWELRRAAPGPAYEEEGTPLRYQLVPSRSRIVRTPSLKDSP AGR
Formulation	Tris-based buffer50% glycerol
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C,-80°C. The shelf life of lyophilized form is 12 months at -20°C,-80°C.Notes:Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.

References

Complete sequencing and characterization of 21,243 full-length human cDNAs. Ota T., Suzuki Y., Nishikawa T., Otsuki T., Sugiyama T., Irie R., Wakamatsu A., Hayashi K., Sato H., Nagai K., Kimura K., Makita H., Sekine M., Obayashi M., Nishi T., Shibahara T., Tanaka T., Ishii S., Yamamoto J., Saito K., Kawai Y., Isono Y., Nakamura Y., Nagahari K., Murakami K., Yasuda T., Iwayanagi T., Wagatsuma M., Shiratori A., Sudo H., Hosoiri T., Kaku Y., Kodaira H., Kondo H., Sugawara M., Takahashi M., Kanda K., Yokoi T., Furuya T., Kikkawa E., Omura Y., Abe K., Kamihara K., Katsuta N., Sato K., Tanikawa M., Yamazaki M., Ninomiya K., Ishibashi T., Yamashita H., Murakawa K., Fujimori K., Tanai H., Kimata M., Watanabe M., Hiraoka S., Chiba Y., Ishida S., Ono Y., Takiguchi S., Watanabe S., Yosida M., Hotuta T., Kusano J., Kanehori K., Takahashi-Fujii A., Hara H., Tanase T.-O., Nomura Y., Togiya S., Komai F., Hara R., Takeuchi K., Arita M., Imose N., Musashino K., Yuuki H., Oshima A., Sasaki N., Aotsuka S., Yoshikawa Y., Matsunawa H., Ichihara T., Shiohata N., Sano S., Moriya S., Momiyama H., Satoh N., Takami S., Terashima Y., Suzuki O., Nakagawa S., Senoh A., Mizoguchi H., Goto Y., Shimizu F., Wakebe H., Hishigaki H., Watanabe T., Sugiyama A., Takemoto M., Kawakami B., Yamazaki M., Watanabe K., Kumagai A., Itakura S., Fukuzumi Y., Fujimori Y., Komiyama M., Tashiro H., Tanigami A., Fujiwara T., Ono T., Yamada K., Fujii Y., Ozaki K., Hirao M.,

Ohmori Y., Kawabata A., Hikiji T., Kobatake N., Inagaki H., Ikema Y., Okamoto S., Okitani R., Kawakami T., Noguchi S., Itoh T., Shigeta K., Senba T., Matsumura K., Nakajima Y., Mizuno T., Morinaga M., Sasaki M., Togashi T., Oyama M., Hata H., Watanabe M., Komatsu T., Mizushima-Sugano J., Satoh T., Shirai Y., Takahashi Y., Nakagawa K., Okumura K., Nagase T., Nomura N., Kikuchi H., Masuho Y., Yamashita R., Nakai K., Yada T., Nakamura Y., Ohara O., Isogai T., Sugano S. *Nat. Genet.* 36:40-45(2004) Research Topic: Cell Biology

Note: This product is for in vitro research use only