

## TRAF6 Rabbit mAb

Catalog No: #52627

Package Size: #52627-1 50ul #52627-2 100ul

Orders: order@signalwayantibody.com

Support: tech@signalwayantibody.com


## Description

Product Name	TRAF6 Rabbit mAb
Host Species	Recombinant Rabbit
Clonality	Monoclonal antibody
Clone No.	S09-3F4
Isotype	Rabbit IgG
Purification	Affinity Purified
Applications	WB
Species Reactivity	Human,Mouse,Rat
Immunogen Description	A synthetic peptide of human TRAF6
Conjugates	Unconjugated
Modification	Unmodification
Other Names	RNF85; MGC:3310
Accession No.	Swiss-Prot:Q9Y4K3GeneID:7189
Uniprot	Q9Y4K3
GeneID	7189
Calculated MW	Calculated MW: 60 kDa; Observed MW: 60 kDa
Concentration	0.3 mg/ml
Formulation	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

## Application Details

WB: 1/1000-1/5000;

## Images



Western blot detection of TRAF6 in 293 cell lysates using TRAF6 Rabbit mAb(1:1000 diluted).Predicted band size:60kDa.Observed band size:60kDa.

## Background

---

Swiss-Prot Acc.Q9Y4K3.E3 ubiquitin ligase that, together with UBE2N and UBE2V1, mediates the synthesis of ε-Lys-63-linked-polyubiquitin chains conjugated to proteins, such as IKBKG, IRAK1, AKT1 and AKT2. Also mediates ubiquitination of free/unanchored polyubiquitin chain that leads to MAP3K7 activation. Leads to the activation of NF-kappa-B and JUN. May be essential for the formation of functional osteoclasts. Seems to also play a role in dendritic cells (DCs) maturation and/or activation. Represses c-Myb-mediated transactivation, in B-lymphocytes. Adapter protein that seems to play a role in signal transduction initiated via TNF receptor, IL-1 receptor and IL-17 receptor. Regulates osteoclast differentiation by mediating the activation of adapter protein complex 1 (AP-1) and NF-kappa-B, in response to RANK-L stimulation. Together with MAP3K8, mediates CD40 signals that activate ERK in B-cells and macrophages, and thus may play a role in the regulation of immunoglobulin production.

---

Note: This product is for in vitro research use only