Frizzled 9 / CD349 Rabbit mAb

Catalog No: #56432

Package Size: #56432-1 50ul #56432-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


Description

| Product Name | Frizzled 9 / CD349 Rabbit mAb |
|-----------------------|----------------------------------------------------------------------------------------------------|
| Host Species | Rabbit |
| Clonality | Monoclonal |
| Isotype | Rabbit IgG |
| Purification | Affinity-chromatography |
| Applications | WB |
| Species Reactivity | Human Mouse Rat |
| Specificity | Frizzled 9 / CD349 Antibody detects endogenous levels of total Frizzled 9 / CD349 |
| Immunogen Description | A synthesized peptide derived from human Frizzled 9 / CD349 |
| Other Names | CD349; frizzled-9; Fz-9; FZD3; FzE6 |
| Accession No. | Uniprot:O00144 |
| Uniprot | O00144 |
| Calculated MW | 64kDa |
| Formulation | Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. |
| Storage | Store at +4A C short term. Store at -20A C long term. Avoid freeze / thaw cycle. |
| | |

Application Details

WB:1:500~1:2000

Images



Western blot analysis of Frizzled 9 expression in Human Seminoma lysate.

Product Description

Receptor for Wnt proteins. Most of frizzled receptors are coupled to the beta-catenin canonical signaling pathway, which leads to the activation of disheveled proteins, inhibition of GSK-3 kinase, nuclear accumulation of beta-catenin and activation of Wnt target genes.

Note: This product is for in vitro research use only