

Androgen Receptor(AR-V7 specific) Conjugated Antibody

Catalog No: #C56083

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Package Size: #C56083-AF350 100ul #C56083-AF405 100ul #C56083-AF488 100ul

#C56083-AF555 100ul #C56083-AF594 100ul #C56083-AF647 100ul

#C56083-AF680 100ul #C56083-AF750 100ul #C56083-Biotin 100ul

Description

Product Name	Androgen Receptor(AR-V7 specific) Conjugated Antibody
Host Species	Rabbit
Clonality	Monoclonal
Isotype	Rabbit IgG
Purification	Affinity-chromatography
Species Reactivity	Human
Specificity	Androgen Receptor(AR-V7 specific) Antibody detects endogenous levels of total Androgen Receptor(AR-V7 specific)
Immunogen Description	A synthesized peptide derived from human Androgen Receptor(AR-V7 specific)
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	AR; Androgen receptor splice variant 3; AR-V7(AR3);
Accession No.	Uniprot:C0JKD3
Uniprot	C0JKD3
Excitation Emission	AF350: 346nm/442nm AF405: 401nm/421nm AF488: 493nm/519nm AF555: 555nm/565nm AF594: 591nm/614nm AF647: 651nm/667nm AF680: 679nm/702nm AF750: 749nm/775nm
Calculated MW	80kDa
Storage	Store at 4°C in dark for 6 months

Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250

AF405 conjugated: most applications: 1: 50 - 1: 250

AF488 conjugated: most applications: 1: 50 - 1: 250

AF555 conjugated: most applications: 1: 50 - 1: 250

AF594 conjugated: most applications: 1: 50 - 1: 250

AF647 conjugated: most applications: 1: 50 - 1: 250

AF680 conjugated: most applications: 1: 50 - 1: 250

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

Product Description

Belongs to the nuclear hormone receptor family. Contains nuclear receptor DNA-binding domain. Steroid hormone receptors are ligand-activated transcription factors that regulate eukaryotic gene expression and affect cellular proliferation and differentiation in target tissues. Transcription factor activity is modulated by bound coactivator and corepressor proteins. This target is a splice variant of Androgen receptor (UniProt P10275) lacking the C-terminal androgen binding site.

Note: This product is for in vitro research use only