

CCR2/CKR2 Rabbit mAb

Catalog No: #58558

Package Size: #58558-1 50ul #58558-2 100ul

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com


Description

| | |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Product Name | CCR2/CKR2 Rabbit mAb |
| Host Species | Rabbit |
| Clonality | Monoclonal |
| Isotype | Rabbit IgG |
| Purification | Affinity-chromatography |
| Applications | IHC FC IP |
| Species Reactivity | Human Mouse |
| Specificity | CCR2/CKR2 Antibody detects endogenous levels of total CCR2/CKR2 |
| Immunogen Description | A synthesized peptide derived from human CCR2/CKR2 |
| Other Names | C-C chemokine receptor type 2; C-C CKR-2; CC chemokine receptor type 2; CC CKR 2; CC-CKR-2; CCCKR2; CCR 2; CCR-2;; CCR1L;; CCR2; |
| Accession No. | Uniprot:P41597 |
| Uniprot | P41597 |
| Formulation | Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. |
| Storage | Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle. |

Application Details

IHC 1:50~1:200 IP 1:50 FC1:100

Images



Immunohistochemical analysis of paraffin-embedded human tonsil, using CCR2/CKR2 Antibody.

Product Description

Receptor for the MCP-1, MCP-3 and MCP-4 chemokines. Transduces a signal by increasing the intracellular calcium ions level. Alternative coreceptor with CD4 for HIV-1 infection.

Background

Receptor for the MCP-1, MCP-3 and MCP-4 chemokines. Transduces a signal by increasing the intracellular calcium ions level. Alternative coreceptor with CD4 for HIV-1 infection.

Note: This product is for in vitro research use only