

Survivin Rabbit mAb

Catalog No: #58820

Package Size: #58820-1 50ul #58820-2 100ul

Orders: order@signalwayantibody.com

Support: tech@signalwayantibody.com


Description

| | |
|-----------------------|--|
| Product Name | Survivin Rabbit mAb |
| Host Species | Rabbit |
| Clonality | Monoclonal |
| Isotype | Rabbit IgG |
| Purification | Affinity-chromatography |
| Applications | WB IHC IP |
| Species Reactivity | Mouse Rat |
| Specificity | Survivin Antibody detects endogenous levels of total Survivin |
| Immunogen Description | A synthesized peptide derived from human Survivin |
| Other Names | API4;Apoptosis inhibitor survivin;BIRC 5;EPR 1;IAP4;SVV;TIAP |
| Accession No. | Uniprot:O70201(mouse) |
| Uniprot | O70201(mouse) |
| Formulation | Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. |
| Storage | Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle. |


Application Details

WB 1:500~1:2000 IHC 1:50~1:200 IP 1:30

Images



Western blot analysis of Survivin expression in Neuro-2a cell lysate.



Immunohistochemical analysis of paraffin-embedded mouse ovarian cancer, using Survivin Antibody.

Product Description

Acts as an important regulator of the localization of this complex; directs CPC movement to different locations from the inner centromere during prometaphase to midbody during cytokinesis and participates in the organization of the center spindle by associating with polymerized microtubules. The complex with RAN plays a role in mitotic spindle formation by serving as a physical scaffold to help deliver the RAN effector molecule TPX2 to microtubules.

Background

Acts as an important regulator of the localization of this complex; directs CPC movement to different locations from the inner centromere during prometaphase to midbody during cytokinesis and participates in the organization of the center spindle by associating with polymerized microtubules. The complex with RAN plays a role in mitotic spindle formation by serving as a physical scaffold to help deliver the RAN effector molecule TPX2 to microtubules.

Note: This product is for in vitro research use only