Angiopoietin 1 Rabbit mAb

Catalog No: #58971

Package Size: #58971-1 50ul #58971-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description

Product Name	Angiopoietin 1 Rabbit mAb
Host Species	Rabbit
Clonality	Monoclonal
Isotype	Rabbit IgG
Purification	Affinity-chromatography
Applications	WB
Species Reactivity	Human Rat
Specificity	Angiopoietin 1 Antibody detects endogenous levels of Angiopoietin 1
Immunogen Description	A synthesized peptide derived from human Angiopoietin 1
Other Names	ANG-1; Angiopoietin-1; ANGP1; KIAA0003;
Accession No.	Uniprot:Q15389
Uniprot	Q15389
Formulation	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Application Details

WB 1:1000~1:5000

Images KDa Western blot analysis of Angiopoietin 1 expression in HeLa 250 cell lysate. 150 100 50 -25-20 15 -10

Product Description

Binds and activates TEK/TIE2 receptor by inducing its dimerization and tyrosine phosphorylation. Plays an important role in the regulation of angiogenesis, endothelial cell survival, proliferation, migration, adhesion and cell spreading, reorganization of the actin cytoskeleton, but also maintenance of vascular quiescence. Required for normal angiogenesis and heart development during embryogenesis. After birth, activates or inhibits angiogenesis, depending on the context.

Background

Binds and activates TEK/TIE2 receptor by inducing its dimerization and tyrosine phosphorylation. Plays an important role in the regulation of angiogenesis, endothelial cell survival, proliferation, migration, adhesion and cell spreading, reorganization of the actin cytoskeleton, but also maintenance of vascular quiescence. Required for normal angiogenesis and heart development during embryogenesis. After birth, activates or inhibits angiogenesis, depending on the context.

Note: This product is for in vitro research use only