### TXNRD1 Rabbit mAb

Catalog No: #59500

Package Size: #59500-1 50ul #59500-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


_					
П	es	cri	n	ti,	٦n
u	てつ	UH	v	u	JII

Product Name	TXNRD1 Rabbit mAb	
Host Species	Rabbit	
Clonality	Monoclonal	
Isotype	Rabbit IgG	
Purification	Affinity-chromatography	
Applications	WB IHC ICC/IF IP FC	
Species Reactivity	Human Mouse Rat	
Specificity	TXNRD1 Antibody detects endogenous levels of total TXNRD1	
Immunogen Description	A synthesized peptide derived from human TXNRD1	
Other Names	GRIM12; KDRF; KM 102 derived reductase like factor; xidoreductase; Thioredoxin reductase 1; TR1; TRXR1;	
	TXNR; TXNRD1	
Accession No.	Uniprot:Q16881	
Uniprot	Q16881	
Formulation	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	
Storage	Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.	

# **Application Details**

WB 1:500~1:2000 IHC 1:50~1:200 ICC/IF 1:50~1:200 IP 1:50 FC 1:120

### **Images**



Western blot analysis of TXNRD1 expression in (1) Jurkat cell lysate; (2) NIH/3T3 cell lysate.

### **Product Description**

Isoform 1 may possess glutaredoxin activity as well as thioredoxin reductase activity and induces actin and tubulin polymerization, leading to formation of cell membrane protrusions. Isoform 4 enhances the transcriptional activity of estrogen receptors alpha and beta while isoform 5 enhances the transcriptional activity of the beta receptor only. Isoform 5 also mediates cell death induced by a combination of interferon-beta and retinoic acid.

# Background

Isoform 1 may possess glutaredoxin activity as well as thioredoxin reductase activity and induces actin and tubulin polymerization, leading to formation of cell membrane protrusions. Isoform 4 enhances the transcriptional activity of estrogen receptors alpha and beta while isoform 5 enhances the transcriptional activity of the beta receptor only. Isoform 5 also mediates cell death induced by a combination of interferon-beta and retinoic acid.

Note: This product is for in vitro research use only