

TMEM173 Rabbit mAb

Catalog No: #59638

Package Size: #59638-1 50ul #59638-2 100ul

Orders: order@signalwayantibody.com

Support: tech@signalwayantibody.com


Description

| | |
|-----------------------|--|
| Product Name | TMEM173 Rabbit mAb |
| Host Species | Rabbit |
| Clonality | Monoclonal |
| Isotype | Rabbit IgG |
| Purification | Affinity-chromatography |
| Applications | WB ICC/IF FC |
| Species Reactivity | Human |
| Specificity | TMEM173 Antibody detects endogenous levels of total TMEM173 |
| Immunogen Description | A synthesized peptide derived from human TMEM173 |
| Other Names | ERIS; hMITA; hSTING; MITA; MPYS; NET23; STING; Tmem173; STING1oΩ%oΩ%Stimulator of interferon genes proteinoΩ%oΩ% |
| Accession No. | Uniprot:Q86WV6 |
| Uniprot | Q86WV6 |
| Formulation | Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. |
| Storage | Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle. |

Application Details

WB 1:500~1:2000 ICC/IF 1:100~1:500 FC 1:20

Images



Western blot analysis of TMEM173 expression in HeLa cell lysate.

Product Description

Facilitator of innate immune signaling that promotes the production of type I interferon (IFN-alpha and IFN-beta). Innate immune response is triggered in response to non-CpG double-stranded DNA from viruses and bacteria delivered to the cytoplasm.

Background

Facilitator of innate immune signaling that promotes the production of type I interferon (IFN-alpha and IFN-beta). Innate immune response is triggered in response to non-CpG double-stranded DNA from viruses and bacteria delivered to the cytoplasm.

Note: This product is for in vitro research use only