

RING2 / RING1B / RNF2 Rabbit mAb

Catalog No: #59694

Package Size: #59694-1 50ul #59694-2 100ul

Orders: order@signalwayantibody.com

Support: tech@signalwayantibody.com


Description

Product Name	RING2 / RING1B / RNF2 Rabbit mAb
Host Species	Rabbit
Clonality	Monoclonal
Isotype	Rabbit IgG
Purification	Affinity-chromatography
Applications	WB IHC ICC/IF FC
Species Reactivity	Human Mouse Rat
Specificity	RING2 / RING1B / RNF2 Antibody detects endogenous levels of total RING2 / RING1B / RNF2
Immunogen Description	A synthesized peptide derived from human RING2 / RING1B / RNF2
Other Names	BAP1; DING; BAP-1; HIPI3; RING2; RING1B;
Accession No.	Uniprot:Q99496
Uniprot	Q99496
Formulation	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Application Details

WB 1:500~1:2000 IHC 1:50~1:200 ICC/IF 1:50~1:200 FC 1:50

Images



Western blot analysis of RING2 / RING1B / RNF2 expression in HeLa cell lysate.

Product Description

E3 ubiquitin-protein ligase that mediates monoubiquitination of 'Lys-119' of histone H2A, thereby playing a central role in histone code and gene regulation. H2A 'Lys-119' ubiquitination gives a specific tag for epigenetic transcriptional repression and participates in X chromosome inactivation of female mammals.

Background

E3 ubiquitin-protein ligase that mediates monoubiquitination of 'Lys-119' of histone H2A, thereby playing a central role in histone code and gene regulation. H2A 'Lys-119' ubiquitination gives a specific tag for epigenetic transcriptional repression and participates in X chromosome inactivation of female mammals.

Note: This product is for in vitro research use only