PTEN(Ab-370) Antibody

Catalog No: #21057

Package Size: #21057-1 50ul #21057-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

_			
	escri	nti	n
$\boldsymbol{ u}$	COUL	μu	ULI


The state of the s		
Product Name	PTEN(Ab-370) Antibody	
Host Species	Rabbit	
Clonality	Polyclonal	
Purification	Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were	
	purified by affinity-chromatography using epitope-specific peptide.	
Applications	WB IHC	
Species Reactivity	Hu Ms Rt	
Specificity	The antibody detects endogenous level of total PTEN protein.	
Immunogen Type	Peptide-KLH	
Immunogen Description	Peptide sequence around aa.368~372 (D-V-S-D-N) derived from Human PTEN.	
Target Name	PTEN	
Other Names	MMAC1; Mutated in multiple advanced cancers 1; Protein-tyrosine phosphatase PTEN; TEP1;	
Accession No.	Swiss-Prot: P60484NCBI Protein: NP_000305.3	
Uniprot	P60484	
GeneID	5728;	
Concentration	1.0mg/ml	
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%	
	sodium azide and 50% glycerol.	
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.	

Application Details


Predicted MW: 54kd

Western blotting: 1:500~1:1000
Immunohistochemistry: 1:50~1:100

Images



Western blot analysis of extracts from C2C12 cells using PTEN(Ab-370) Antibody #21057.



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using PTEN(Ab-370) Antibody #21057(left) or the same antibody preincubated with blocking peptide(right).

Background

Tumor suppressor. Acts as a dual-specificity protein phosphatase, dephosphorylating tyrosine-, serine- and threonine-phosphorylated proteins. Also acts as a lipid phosphatase, removing the phosphate in the D3 position of the inositol ring from phosphatidylinositol 3,4,5-trisphosphate, phosphatidylinositol 3,4-diphosphate, phosphated, phosphate and inositol 1,3,4,5-tetrakisphosphate with order of substrate preference in vitro PtdIns(3,4,5)P3 > PtdIns(3,4)P2 > PtdIns3P > Ins(1,3,4,5)P4. The lipid phosphatase activity is critical for its tumor suppressor function.

Antagonizes the Pl3K-AKT/PKB signaling pathway by dephosphorylating phosphoinositides and thereby modulating cell cycle progression and cell survival. The unphosphorylated form cooperates with AIP1 to suppress AKT1 activation. Dephosphorylates tyrosine-phosphorylated focal adhesion kinase and inhibits cell migration and integrin-mediated cell spreading and focal adhesion formation. May be a negative regulator of insulin signaling and glucose metabolism in adipose tissue.

Al-Khouri AM, et al. (2005). J Biol Chem. 280 (42):35195-35202.

Miller SJ, et al. (2002). FEBS Lett. 528 (1-3): 145-153.

Torres J, et al. (2001). J Biol Chem.276 (2): 993-998.

Vazquez F, et al. (2000). Mol Cell Biol.20 (14): 5010-5018.

Note: This product is for in vitro research use only