CDK2(Ab-160) Antibody

Catalog No: #21111

Package Size: #21111-1 50ul #21111-2 100ul




Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Host Species   Rabbit     Clonality   Polyclonal     Purification   Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific peptide.	Description	
Clonality Polyclonal   Purification Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific peptide.   Applications WB   Species Reactivity Hu Ms Rt   Specificity The antibody detects endogenous level of total CDK2 protein.   Immunogen Type Peptide-KLH   Immunogen Description Peptide sequence around aa.158~162 (T-Y-T-H-E) derived from Human CDK2.   Target Name CDK2   Other Names kinase Cdk2; p33 protein kinase;   Accession No. Swiss-Prot: P24941NCBI Protein: NP_001789.2   Uniprot P24941   GeneID 1017;   Concentration 1.0mg/mL   Formulation Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	Product Name	CDK2(Ab-160) Antibody
PurificationAntibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific peptide.ApplicationsWBSpecies ReactivityHu Ms RtSpecificityThe antibody detects endogenous level of total CDK2 protein.Immunogen TypePeptide-KLHImmunogen DescriptionPeptide sequence around aa.158~162 (T-Y-T-H-E) derived from Human CDK2.Target NameCDK2Other Nameskinase Cdk2; p33 protein kinase;Accession No.Swiss-Prot: P24941NCBI Protein: NP_001789.2UniprotP24941GeneID1017;Concentration1.0mg/mlFormulationSupplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	Host Species	Rabbit
purified by affinity-chromatography using epitope-specific peptide.ApplicationsWBSpecies ReactivityHu Ms RtSpecificityThe antibody detects endogenous level of total CDK2 protein.Immunogen TypePeptide-KLHImmunogen DescriptionPeptide sequence around aa.158~162 (T-Y-T-H-E) derived from Human CDK2.Target NameCDK2Other Nameskinase Cdk2; p33 protein kinase;Accession No.Swiss-Prot: P24941NCBI Protein: NP_001789.2UniprotP24941GeneID1017;Concentration1.0mg/mlFormulationSupplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% solium azide and 50% glycerol.	Clonality	Polyclonal
ApplicationsWBSpecies ReactivityHu Ms RtSpecificityThe antibody detects endogenous level of total CDK2 protein.Immunogen TypePeptide-KLHImmunogen DescriptionPeptide sequence around aa.158~162 (T-Y-T-H-E) derived from Human CDK2.Target NameCDK2Other Nameskinase Cdk2; p33 protein kinase;Accession No.Swiss-Prot: P24941NCBI Protein: NP_001789.2UniprotP24941GeneID1017;Concentration1.0mg/mlFormulationSupplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	Purification	Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were
Species ReactivityHu Ms RtSpecificityThe antibody detects endogenous level of total CDK2 protein.Immunogen TypePeptide-KLHImmunogen DescriptionPeptide sequence around aa.158~162 (T-Y-T-H-E) derived from Human CDK2.Target NameCDK2Other Nameskinase Cdk2; p33 protein kinase;Accession No.Swiss-Prot: P24941NCBI Protein: NP_001789.2UniprotP24941GeneID1017;Concentration1.0mg/mlFormulationSupplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.		purified by affinity-chromatography using epitope-specific peptide.
SpecificityThe antibody detects endogenous level of total CDK2 protein.Immunogen TypePeptide-KLHImmunogen DescriptionPeptide sequence around aa.158~162 (T-Y-T-H-E) derived from Human CDK2.Target NameCDK2Other Nameskinase Cdk2; p33 protein kinase;Accession No.Swiss-Prot: P24941NCBI Protein: NP_001789.2UniprotP24941GeneID1017;Concentration1.0mg/mlFormulationSupplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	Applications	WB
Immunogen TypePeptide-KLHImmunogen DescriptionPeptide sequence around aa.158~162 (T-Y-T-H-E) derived from Human CDK2.Target NameCDK2Other Nameskinase Cdk2; p33 protein kinase;Accession No.Swiss-Prot: P24941NCBI Protein: NP_001789.2UniprotP24941GeneID1017;Concentration1.0mg/mlFormulationSupplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	Species Reactivity	Hu Ms Rt
Immunogen DescriptionPeptide sequence around aa.158~162 (T-Y-T-H-E) derived from Human CDK2.Target NameCDK2Other Nameskinase Cdk2; p33 protein kinase;Accession No.Swiss-Prot: P24941NCBI Protein: NP_001789.2UniprotP24941GeneID1017;Concentration1.0mg/mlFormulationSupplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	Specificity	The antibody detects endogenous level of total CDK2 protein.
Target NameCDK2Other Nameskinase Cdk2; p33 protein kinase;Accession No.Swiss-Prot: P24941NCBI Protein: NP_001789.2UniprotP24941GeneID1017;Concentration1.0mg/mlFormulationSupplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	Immunogen Type	Peptide-KLH
Other Nameskinase Cdk2; p33 protein kinase;Accession No.Swiss-Prot: P24941NCBI Protein: NP_001789.2UniprotP24941GeneID1017;Concentration1.0mg/mlFormulationSupplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	Immunogen Description	Peptide sequence around aa.158~162 (T-Y-T-H-E) derived from Human CDK2.
Accession No.Swiss-Prot: P24941NCBI Protein: NP_001789.2UniprotP24941GeneID1017;Concentration1.0mg/mlFormulationSupplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	Target Name	CDK2
UniprotP24941GeneID1017;Concentration1.0mg/mlFormulationSupplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	Other Names	kinase Cdk2; p33 protein kinase;
GeneID   1017;     Concentration   1.0mg/ml     Formulation   Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	Accession No.	Swiss-Prot: P24941NCBI Protein: NP_001789.2
Concentration   1.0mg/ml     Formulation   Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	Uniprot	P24941
Formulation   Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	GeneID	1017;
sodium azide and 50% glycerol.	Concentration	1.0mg/ml
	Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%
Storage Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.		sodium azide and 50% glycerol.
	Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.

## Application Details

## Predicted MW: 34kd

Western blotting: 1:500~1:1000



## Background

Involved in the control of the cell cycle. Interacts with cyclins A, B1, B3, D, or E. Activity of CDK2 is maximal during S phase and G2. Ukomadu C, et al.(2003) J Biol Chem; 278(7): 4840-6 Morris MC, et al.(2002)J Biol Chem; 277(26): 23847-53 Brown NR, et al.(1999)J Biol Chem; 274(13): 8746-56 Liu Y, et al.(2004) J Biol Chem; 279(6): 4507-14

Note: This product is for in vitro research use only