# Histone H3R2me1 Polyclonal Antibody

Catalog No: #HW022

Package Size: #HW022-1 50ul #HW022-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


#### Description

| Product Name          | Histone H3R2me1 Polyclonal Antibody                |
|-----------------------|--|
| Host Species          | Rabbit   |
| Clonality             | Polyclonal   |
| Isotype               | IgG  |
| Purification          | Affinity purification                              |
| Applications          | WB,IHC,IF  |
| Species Reactivity    | Human,Mouse,Rat                                    |
| Immunogen Type        | Peptide  |
| Immunogen Description | A synthetic methylated peptide of human histone H3 |
| Target Name           | Histone H3   |
| Modification          | Methyl   |
| Other Names           | H3.4;H3/g;H3FT;H3t;HIST3H3;Histone H3;HIST1H3A     |
| Accession No.         | Uniprot:Q16695GeneID:8290                          |
| Uniprot               | Q16695   |
| GeneID                | 8290   |
| SDS-PAGE MW           | 17kDa  |
| Concentration         | 1.0mg/ml   |
| Formulation           | PBS with 0.02% sodium azide,50% glycerol,pH7.3.    |
| Storage               | Store at -20°C. Avoid freeze / thaw cycles.        |


## Application Details

WB 1:500 - 1:2000IHC 1:50 - 1:200IF 1:50 - 1:200

#### **Images**



Western blot analysis of extracts of various cell lines, using MonoMethyl-Histone H3-R2 antibody.



Immunofluorescence analysis of 293T cells using H3R2me1 antibody.

## Background

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H3 family. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element. This gene is located separately from the other H3 genes that are in the histone gene cluster on chromosome 6p22-p21.3.

Note: This product is for in vitro research use only