

MEK1(Ab-221) Antibody

Catalog No: #21175

Package Size: #21175-1 50ul #21175-2 100ul

Orders: order@signalwayantibody.com

Support: tech@signalwayantibody.com

Description

Product Name	MEK1(Ab-221) Antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific peptide.
Applications	WB IHC
Species Reactivity	Hu Ms
Specificity	The antibody detects endogenous level of total MEK1 protein.
Immunogen Type	Peptide-KLH
Immunogen Description	Peptide sequence around aa.219~223 (A-N-S-F-V) derived from Human MEK1.
Target Name	MEK1
Other Names	ERK activator kinase 1; MAP kinase kinase 1; MAP2K1; MAPK/ERK kinase 1; MAPKK 1
Accession No.	Swiss-Prot: Q02750NCBI Protein: NP_002746.1
Uniprot	Q02750
GeneID	5604;
Concentration	1.0mg/ml
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.


Application Details

Predicted MW: 45kd


Western blotting: 1:500~1:1000

Immunohistochemistry: 1:50~1:100

Images



Western blot analysis of extracts from 293 cells using MEK1(Ab-221) Antibody #21175



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using MEK1(Ab-221) Antibody #21175(left) or the same antibody preincubated with blocking peptide(right).

Background

Catalyzes the concomitant phosphorylation of a threonine and a tyrosine residue in a Thr-Glu-Tyr sequence located in MAP kinases. Activates ERK1 and ERK2 MAP kinases.

Zebisch A, et al. (2006) *Cancer Res*; 66(7): 3401-8.

Luciano BS, et al. (2006) *J Biol Chem*; 279(50): 52117-23.

Wang X, et al. (2003) *Oncogene*; 22(1): 109-16.

Gopalbhai K, et al. (2003) *J Biol Chem*; 278(10): 8118-25.

Ling MT, et al. (2002) *Oncogene*; 21(55): 8498-505.

Note: This product is for in vitro research use only