RPA70 Monoclonal Antibody

Catalog No: #27212

Package Size: #27212-1 50ul #27212-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


_			
	escri	ntı	Λn
u	COUL	υu	UH

inality Mone No. 80 Itype Igo Igification Afolications Wilecies Reactivity Hu	Monoclonal GC3-D12-H10 gG2a Affinity purified WB ICC IP Hu Mk Ms Rt This antibody detects endogenous levels of RPA70 and does not cross-react with related proteins.
ne No. 80 type Igu rification Af plications W ecies Reactivity Hu	GC3-D12-H10 gG2a Affinity purified WB ICC IP Hu Mk Ms Rt This antibody detects endogenous levels of RPA70 and does not cross-react with related proteins.
type Igu rification Af plications W ecies Reactivity Hu	Affinity purified WB ICC IP Hu Mk Ms Rt This antibody detects endogenous levels of RPA70 and does not cross-react with related proteins.
rification Af plications W ecies Reactivity Hu	Affinity purified WB ICC IP Hu Mk Ms Rt This antibody detects endogenous levels of RPA70 and does not cross-react with related proteins.
olications W ecies Reactivity Hu	VB ICC IP Hu Mk Ms Rt This antibody detects endogenous levels of RPA70 and does not cross-react with related proteins.
ecies Reactivity Hu	Hu Mk Ms Rt This antibody detects endogenous levels of RPA70 and does not cross-react with related proteins.
•	This antibody detects endogenous levels of RPA70 and does not cross-react with related proteins.
ecificity Th	Describing at Dartein
munogen Type Re	Recombinant Protein
munogen Description Pu	Purified recombinant human RPA70 protein fragments expressed in E.coli.
get Name RF	RPA70
ner Names Dr	Omrpa1; Drosophila Replication Protein A; DRPA; HSSB; Human single stranded DNA binding protein;
MS	MST075; MSTP075; p70; REPA1; Replication factor A; Replication factor A protein 1; Replication protein A 70
kD	Da DNA-binding subunit;
cession No. Ur	Jniprot: P27694 Gene ID: 6117
prot P2	227694
neID 61	5117;
S-PAGE MW 70	70kd
mulation Pu	Purified mouse monoclonal antibody in PBS(pH 7.4) containing with 0.02% sodium azide and 50% glycerol.
rage sto	store at -20A C


Application Details

Western blotting: 1:1000
Immunocytochemistry: 1:100


Images




Immunocytochemistry staining of HeLa cells fixed in 1% Paraformaldehyde and using anti-RPA70 antibody (dilution 1:100).




Western blot detection of RPA70 in Hela,A431,MCF7,COS7,HT1080 and K562 cell lysates using RPA70 antibody (1:1000 diluted).Predicted band size:70KDa.Observed band size:70KDa.



Western blot detection of RPA70 antibody in Hela,293T,C6,3T3 and K562 cell lysates using RPA70 antibody (1:1000 diluted).Predicted band size:70KDa.Observed band size:70KDa.



Western blot detection of RPA70 antibody in HUVEC, Hacat, 3T3, MCF7 and A549 cell lysates using RPA70 antibody (1:2000 diluted). Predicted band size: 70KDa. Observed band size: 70KDa.



Immunoprecipitation analysis of Hela cell lysates using RPA70 antibody.

Background

Plays an essential role in several cellular processes in DNA metabolism including replication, recombination and DNA repair. Binds and subsequently stabilizes single-stranded DNA intermediates and thus prevents complementary DNA from reannealing. Functions as component of the alternative replication protein A complex (aRPA). aRPA binds single-stranded DNA and probably plays a role in DNA repair; it does not support chromosomal DNA replication and cell cycle progression through S-phase. In vitro, aRPA cannot promote efficient priming by DNA polymerase alpha but supports DNA polymerase delta synthesis in the presence of PCNA and replication factor C (RFC), the dual incision/excision reaction of nucleotide excision repair and RAD51-dependent strand exchange.

Note: This product is for in vitro research use only