PKCth(Ab-695) Antibody

Catalog No: #21185

Package Size: #21185-1 50ul #21185-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

$\overline{}$			
1	escri	ınt	ınn
$\boldsymbol{\nu}$	COUL	ιρι	ווטו


Product Name	PKCth(Ab-695) Antibody	
Host Species	Rabbit	
Clonality	Polyclonal	
Purification	Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were	
	purified by affinity-chromatography using epitope-specific peptide.	
Applications	WB IHC	
Species Reactivity	Hu	
Specificity	The antibody detects endogenous level of total PKCth protein.	
Immunogen Type	Peptide-KLH	
Immunogen Description	Peptide sequence around aa.693~697 (N-F-S-F-M) derived from Human PKCth.	
Target Name	PKCth	
Other Names	KPCT; PKC-theta; PKCQ; PRKCQ; PRKCT	
Accession No.	Swiss-Prot: Q04759NCBI Protein: NP_006248.1	
Uniprot	Q04759	
GeneID	5588;	
Concentration	1.0mg/ml	
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%	
	sodium azide and 50% glycerol.	
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.	

Application Details


Predicted MW: 80kd

Western blotting: 1:500~1:1000
Immunohistochemistry: 1:50~1:100

Images



Western blot analysis of extracts from HT29 cells using PKCth(Ab-695) Antibody #21185 and the same antibody preincubated with blocking peptide.



Immunohistochemical analysis of paraffin-embedded human lung carcinoma tissue using PKCth(Ab-695) Antibody #21185(left) or the same antibody preincubated with blocking peptide(right).

Background

This is a calcium-independent, phospholipid-dependent, serine- and threonine-specific enzyme. Essential for T-cell receptor (TCR)-mediated T-cell activation, but is dispensable during TCR-dependent thymocyte development. Links the TCR signaling complex to the activation of NF-kappa-B in mature T lymphocytes. Required for interleukin-2 (IL2) production. PKC is activated by diacylglycerol which in turn phosphorylates a range of cellular proteins. PKC also serves as the receptor for phorbol esters, a class of tumor promoters.

Xu ZB, et al.(2004) J Biol Chem 279:50401-50409

Thebault S, et al. (2004) Mol Immunol 40: 931-942

Note: This product is for in vitro research use only