CREB(Ab-142) Antibody

Catalog No: #21300

Package Size: #21300-1 50ul #21300-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

_		4.5
	ACCTI	ption
$\boldsymbol{ u}$	COUL	Puon


Product Name	CREB(Ab-142) Antibody	
Host Species	Rabbit	
Clonality	Polyclonal	
Purification	Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were	
	purified by affinity-chromatography using epitope-specific peptide.	
Applications	IHC	
Species Reactivity	Hu Ms Rt	
Specificity	The antibody detects endogenous level of total CREB protein.	
Immunogen Type	Peptide-KLH	
Immunogen Description	Peptide sequence around aa.140~144 (D-L-S-S-D) derived from Human CREB.	
Target Name	CREB	
Other Names	CREB-1; CREB1;	
Accession No.	Swiss-Prot: P16220NCBI Protein: NP_004370.1	
Uniprot	P16220	
GeneID	1385;	
Concentration	1.0mg/ml	
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%	
	sodium azide and 50% glycerol.	
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.	

Application Details

Predicted MW: 43kd

Immunohistochemistry: 1:50~1:100

Images



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using CREB(Ab-142) Antibody #21300(left) or the same antibody preincubated with blocking peptide(right).

Background

This protein binds the cAMP response element (CRE), a sequence present in many viral and cellular promoters. CREB stimulates transcription on binding to the CRE. Transcription activation is enhanced by the TORC coactivators which act independently of Ser-133 phosphorylation. Implicated in synchronization of circadian rhythmicity.

Chrystelle V. Garat, et al. (2006) Mol. Cell. Biol; 26: 4934 - 4948.

Lilah Rothem,et al. (2004) Mol. Pharmacol; 66: 1536 - 1543.

Darren R. Tyson, et,al. (2002) Endocrinology; 143: 674.

Kyung-Woo Park, et al. (2003) Arterioscler. Thromb. Vasc. Biol ; 23: 1364.

Note: This product is for in vitro research use only