# ASK1(Phospho-Ser83) Antibody

Catalog No: #11178

Package Size: #11178-1 50ul #11178-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

## Description

Species ity ation ations es Reactivity	Rabbit Polyclonal Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatogramphy using non-phosphopeptide.  WB IHC Hu
ation ations as Reactivity	Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates.  Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatogramphy using non-phosphopeptide.  WB IHC
ations es Reactivity	Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatogramphy using non-phosphopeptide.  WB IHC
es Reactivity	specific antibodies were removed by chromatogramphy using non-phosphopeptide.  WB IHC
es Reactivity	WB IHC
es Reactivity	
•	Hu
'aitr	Tid
icity	The antibody detects endogenous level of ASK1 only when phosphorylated at serine 83.
nogen Type	Peptide-KLH
nogen Description	Peptide sequence around phosphorylation site of serine 83 (G-S-S(p)-V-G) derived from Human ASK1.
gates	Unconjugated
Name	ASK1
cation	Phospho
Names	ASK-1; M3K5; MAP3K5; MAPK/ERK kinase kinase 5; MAPKKK5
sion No.	Swiss-Prot: Q99683NCBI Protein: NP_005914.1
ntration	1.0mg/ml
lation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%
	sodium azide and 50% glycerol.
e	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.
nogen Description gates Name cation Names sion No. intration	Peptide sequence around phosphorylation site of serine 83 (G-S-S(p)-V-G) derived from Human ASK1.  Unconjugated  ASK1  Phospho  ASK-1; M3K5; MAP3K5; MAPK/ERK kinase kinase 5; MAPKKK5  Swiss-Prot: Q99683NCBI Protein: NP_005914.1  1.0mg/ml  Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.


# Application Details

Predicted MW: 155kd


Western blotting: 1:500~1:1000

Immunohistochemistry: 1:50~1:100


### **Images**



Western blot analysis of extracts from K562 cells using ASK1(Phospho-Ser83) Antibody #11178(Lane 2) and the same antibody preincubated with blocking peptide(Lane1).



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using ASK1(Phospho-Ser83) Antibody #11178(left) or the same antibody preincubated with blocking peptide(right).



Western blot analysis of extracts from 3T3 cells, treated with Anisomycin or calf intestinal phosphatase (CIP), using ASK1 (Phospho-Ser83) Antibody #11178.

#### Background

Component of a protein kinase signal transduction cascade. Phosphorylates and activates MAP2K4 and MAP2K6, which in turn activate the JNK and p38 MAP kinases, respectively. Overexpression induces apoptotic cell death.

Mabuchi S, et al. (2004) Endocrinology. 145(1): 49-58.

Yuan ZQ, et al. (2003) J Biol Chem. 278(26): 23432-23440.

Kim AH, et al. (2001) Mol Cell Biol. 21(3): 893-901.

#### **Published Papers**

Min Yang, Mingcan Yu, Dongyin Guan el at., ASK1-JNK signaling cascade mediates Ad-ST13-induced apoptosis in colorectal HCT116 cells., Journal of Cellular Biochemistry, 110(3), 581 - 588(2010)

#### PMID:20512919

el at., ASK1ı  $\zeta$ • NK signaling cascade mediates Adı  $\zeta$  ±T13ı  $\zeta$ • nduced apoptosis in colorectal HCT116 cells. In J Cell Biochem on 2010 Jun 1 by Min Yang, Mingcan Yu, et al..PMID:20512919 , , (2010)

PMID:20512919

Note: This product is for in vitro research use only and is not intended for use in humans or animals.