EGFR(Phospho-Tyr1197) Antibody

Catalog No: #11228

Package Size: #11228-1 50ul #11228-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description

EGFR(Phospho-Tyr1197) Antibody
Rabbit
Polyclonal
Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates.
Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho
specific antibodies were removed by chromatogramphy using non-phosphopeptide.
WB IHC
Hu Ms Rt
The antibody detects endogenous level of EGFR only when phosphorylated at tyrosine 1197.
Peptide-KLH
Peptide sequence around phosphorylation site of tyrosine 1197 (A-E-Y(p)-L-R) derived from Human EGFR.
Unconjugated
EGFR
Phospho
ERBB1; Receptor protein-tyrosine kinase ErbB-1; kinase EGFR
Swiss-Prot: P00533NCBI Protein: NP_005219.2
1.0mg/ml
Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%
sodium azide and 50% glycerol.
Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.


Application Details

Predicted MW: 175kd


Western blotting: 1:500~1:1000

Immunohistochemistry: 1:50~1:100

Images



Western blot analysis of extracts from HUVEC cells untreated or treated with EGF using EGFR(Phospho-Tyr1197) Antibody #11228.



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using EGFR(Phospho-Tyr1197) Antibody #11228(left) or the same antibody preincubated with blocking peptide(right).

Background

Receptor for EGF, but also for other members of the EGF family, as TGF-a, amphiregulin, betacellulin, heparin-binding EGF-like growth factor, GP30 and vaccinia virus growth factor. Is involved in the control of cell growth and differentiation. Phosphorylates MUC1 in breast cancer cells and increases the interaction of MUC1 with SRC and CTNNB1/beta-catenin.

Corbalan-Garcia S, et al. (1996) Mol Cell Biolt; 16(10): 5674-5682

Kanner SB, et al. (1991) Mol Cell Biol; 11(2): 713-720 Wu TT, et al. (1998) Mol Biol Cell; 9(7): 1661-1674

0

Note: This product is for in vitro research use only and is not intended for use in humans or animals.