## **Product Datasheet**

## Tubulin α1/3/4 (phospho Tyr272) Polyclonal Antibody

Catalog No: #13458

Package Size: #13458-1 50ul #13458-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description	
Product Name	Tubulin α1/3/4 (phospho Tyr272) Polyclonal Antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific
	immunogen.
Applications	WB,ELISA
Species Reactivity	Human,Mouse,Rat
Specificity	Phospho-Tubulin $\alpha 1/3/4$ (Y272) Polyclonal Antibody detects endogenous levels of Tubulin $\alpha 1/3/4$ protein only
	when phosphorylated at Y272.
Immunogen Description	The antiserum was produced against synthesized peptide derived from human TUBA1/3/4 around the
	phosphorylation site of Tyr272. AA range:238-287
Conjugates	Unconjugated
Other Names	TUBA1A; TUBA3; Tubulin alpha-1A chain; Alpha-tubulin 3; Tubulin B-alpha-1; Tubulin alpha-3 chain;
	TUBA1B; Tubulin alpha-1B chain; Alpha-tubulin ubiquitous; Tubulin K-alpha-1; Tubulin alpha-ubiquitous chain;
	TUBA1C; TUBA6; Tubulin alpha-1C c
Accession No.	Swiss
	Prot:Q71U36/P68363/Q9BQE3/Q13748/Q6PEY2/P68366GeneID:7846/10376/84790/113457/7278/112714/72
	77
SDS-PAGE MW	50-55
Concentration	1 mg/ml
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Storage	-20°C/1

## **Application Details**

Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other applications.

## Background

tubulin alpha 1a(TUBA1A) Homo sapiens Microtubules of the eukaryotic cytoskeleton perform essential and diverse functions and are composed of a heterodimer of alpha and beta tubulins. The genes encoding these microtubule constituents belong to the tubulin superfamily, which is composed of six distinct families. Genes from the alpha, beta and gamma tubulin families are found in all eukaryotes. The alpha and beta tubulins represent the major components of microtubules, while gamma tubulin plays a critical role in the nucleation of microtubule assembly. There are multiple alpha and beta tubulin genes, which are highly conserved among species. This gene encodes alpha tubulin and is highly similar to the mouse and rat Tuba1 genes. Northern blotting studies have shown that the gene expression is predominantly found in morphologically differentiated neurologic cells. This gene is one of three alpha-tubulin genes in a cluster on chromosome 12q.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.			