## **Product Datasheet**

## NFATc4 (phospho Ser676) Polyclonal Antibody

Catalog No: #13674

Description

Package Size: #13674-1 50ul #13674-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Product Name	NFATc4 (phospho Ser676) Polyclonal Antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific
	immunogen.
Applications	WB,IHC-p,IF(paraffin section),ELISA
Consider Department	Homes Maries
Species Reactivity	Human, Mouse

Conjugates	Unconjugated
Other Names	NFATC4; NFAT3; Nuclear factor of activated T-cells; cytoplasmic 4; NF-ATc4; NFATc4; T-cell transcription
	factor NFAT3: NF-AT3

phosphorylation site of Ser676. AA range:642-691

The antiserum was produced against synthesized peptide derived from human NFAT3 around the

Accession No. Swiss Prot:Q14934GeneID:4776

120

SDS-PAGE MW Concentration 1 mg/ml

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

phosphorylated at S676.

Storage -20°C/1

## **Application Details**

Immunogen Description

Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/5000. Not yet tested in other applications.

## Background

nuclear factor of activated T-cells 4(NFATC4) Homo sapiens This gene encodes a member of the nuclear factor of activated T cells (NFAT) protein family. The encoded protein is part of a DNA-binding transcription complex. This complex consists of at least two components: a preexisting cytosolic component that translocates to the nucleus upon T cell receptor stimulation and an inducible nuclear component. NFAT proteins are activated by the calmodulin-dependent phosphatase, calcineurin. The encoded protein plays a role in the inducible expression of cytokine genes in T cells, especially in the induction of interleukin-2 and interleukin-4. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2014],

Note: This product is for in vitro research use only and is not intended for use in humans or animals.