

NF- κ B p65 (Phospho-Ser529) Rabbit mAb

Catalog No: #14133

Package Size: #14133-1 50ul #14133-2 100ul

Orders: order@signalwayantibody.com

Support: tech@signalwayantibody.com

Description


Product Name	NF- κ B p65 (Phospho-Ser529) Rabbit mAb
Host Species	Rabbit
Clonality	Monoclonal
Clone No.	SR2099
Isotype	Rabbit IgG
Purification	Affinity-chromatography
Applications	WB,IHC
Species Reactivity	Human
Specificity	Phospho-NF- κ B p65 (S529) Antibody detects endogenous levels of total Phospho-NF- κ B p65 (S529)
Immunogen Description	A synthesized peptide derived from human NF- κ B p65
Conjugates	Unconjugated
Other Names	NFKB3, Nuclear factor NF-kappa-B p65 subunit, RELA, TF65, Transcription factor p65, p65
Accession No.	Uniprot:Q04206
Calculated MW	Predicted band size: 65 kDa
SDS-PAGE MW	Observed band size: 65 kDa
Formulation	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at +4 Λ C short term. Store at -20 Λ C long term. Avoid freeze / thaw cycle.

Application Details


WB: 1:500-1:2000

IHC: 1:50-1:200

Images



All lanes : NF- κ B p65 (Phospho-Ser529) Rabbit mAb at 1/1k dilution
 Lane 1 : HeLa whole cell lysates
 Lane 2 : HeLa treated with 20ng/ml TNF α for 15min whole cell lysates
 Lysates/proteins at 20 μ g per lane.
 Secondary All lanes : Goat Anti-Rabbit IgG H&L (HRP) at 1/20000 dilution
 Predicted band size: 65 kDa Observed band size: 65 kDa
 Exposure time: 4 seconds



Formalin-fixed, paraffin-embedded human lung cancer tissue stained for NF-κB p65 (Phospho-Ser529) using 14133 at 1/100 dilution in immunohistochemical analysis.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.