

CBL (Phospho-Tyr774) Rabbit mAb

Catalog No: #14270

Package Size: #14270-1 50ul #14270-2 100ul

Description


Product Name	CBL (Phospho-Tyr774) Rabbit mAb
Host Species	Rabbit
Clonality	Monoclonal
Clone No.	SR1098
Isotype	Rabbit IgG
Purification	Affinity-chromatography
Applications	WB,IHC
Species Reactivity	Human
Specificity	Phospho-CBL (Y774) Antibody detects endogenous levels of total Phospho-CBL (Y774)
Immunogen Description	A synthesized peptide derived from human Phospho-CBL (Y774)
Conjugates	Unconjugated
Other Names	Casitas B lineage lymphoma proto oncogene; CBL2; E3 ubiquitin protein ligase CBL; Oncogene CBL2; Proto oncogene c CBL; RING finger protein 55; RNF55; Signal transduction protein CBL;
Accession No.	Uniprot:P22681
Calculated MW	Predicted band size: 100 kDa
SDS-PAGE MW	Observed band size: 120 kDa
Formulation	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at +4ℳ C short term. Store at -20ℳ C long term. Avoid freeze / thaw cycle.

Application Details


WB: 1:500-1:2000

IHC: 1:50-1:200

Images



All lanes :CBL (Phospho-Tyr774) Rabbit mAb at 1/1k dilution
Lane 1 :Jurkat cell lysate
Lane 2 : Jurkat treated with pervanadate lysate
Lysates/proteins at 20 µg per lane.
SecondaryAll lanes : Goat Anti-Rabbit IgG H&L (HRP) at 1/20000 dilution
Predicted band size: 100 kDa Observed band size: 120 kDa
Exposure time: 7 seconds



Formalin-fixed, paraffin-embedded human breast tissue stained for CBL (Phospho-Tyr774) using 14270 at 1/100 dilution in immunohistochemical analysis.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.