

Tau (Phospho-Ser404) Rabbit mAb

Catalog No: #14288

Package Size: #14288-1 50ul #14288-2 100ul

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Description

Product Name	Tau (Phospho-Ser404) Rabbit mAb
Host Species	Rabbit
Clonality	Monoclonal
Clone No.	SR1861
Isotype	Rabbit IgG
Purification	Affinity-chromatography
Applications	WB, ICC/IF, IHC
Species Reactivity	Human Mouse Rat
Specificity	Phospho-Tau (S404) Antibody detects endogenous levels of total Phospho-Tau (S404)
Immunogen Description	A synthesized peptide derived from human Phospho-Tau (S404)
Conjugates	Unconjugated
Other Names	MAPT; Microtubule-associated protein tau; MTBT1; Neurofibrillary tangle protein; Paired helical filament-tau; PHF-tau
Accession No.	Uniprot:P10636
Calculated MW	Predicted band size: 50-70 kDa
SDS-PAGE MW	Observed band size: 55 kDa
Formulation	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at +4 Λ C short term. Store at -20 Λ C long term. Avoid freeze / thaw cycle.


Application Details

WB: 1:500-1:2000


ICC/IF: 1:50-1:200

IHC: 1:50-1:200


Images




All lanes : Tau (Phospho-Ser404) Rabbit mAb at 1/1k dilution
 Lane 1 : Mouse kidney lysate
 Lysates/proteins at 20 μ g per lane.
 Secondary All lanes : Goat Anti-Rabbit IgG H&L (HRP) at 1/20000 dilution
 Predicted band size: 50-70 kDa
 Observed band size: 55 kDa
 Exposure time: 8 seconds



All lanes : Tau (Phospho-Ser404) Rabbit mAb at 1/1k dilution
 Lane 1 : Mouse cerebellum lysate
 Lane 2 : Mouse hippocampus Lysates
 Lane 3 : Rat cerebellum lysate
 Lane 4 : Rat hippocampus Lysates
 proteins at 20 µg per lane.
 Secondary All lanes : Goat Anti-Rabbit IgG H&L (HRP) at 1/20000 dilution
 Predicted band size: 50-70 kDa
 Observed band size: 55 kDa
 Exposure time: 12 seconds



Formalin-fixed, paraffin-embedded mouse brain tissue stained for Tau (Phospho-Ser404) using 14288 at 1/100 dilution in immunohistochemical analysis.



Immunocytochemistry/ Immunofluorescence Tau (Phospho-Ser404) antibody (14288)
 ICC/IF staining of Tau (Phospho-Ser404) in SH-SY5Y cells. Cells were fixed with 4% Paraformaldehyde permeabilized with 0.1% Triton X-100.
 Samples were incubated with 14288 at a working dilution of 1/100. The secondary antibody was Alexa FluorB 647 goat anti rabbit, used at a dilution of 1/500.
 Nuclei were counterstained with DAPI.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.