BAD(Ab-112) Antibody

Catalog No: #21062

Package Size: #21062-1 50ul #21062-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description

Product Name	BAD(Ab-112) Antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were
	purified by affinity-chromatography using epitope-specific peptide.
Applications	WB IHC
Species Reactivity	Hu
Specificity	The antibody detects endogenous level of total BAD protein.
Immunogen Type	Peptide-KLH
Immunogen Description	Peptide sequence around aa.110~114 (H-S-S-Y-P) derived from Mouse BAD.
Conjugates	Unconjugated
Target Name	BAD
Other Names	Bbc2
Accession No.	Swiss-Prot: Q61337NCBI Protein: NP_031548.1
Concentration	1.0mg/ml
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%
	sodium azide and 50% glycerol.
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.


Application Details

Predicted MW: 23kd


Western blotting: 1:500~1:1000

Immunohistochemistry: 1:50~1:100

Images



Western blot analysis of extracts from 293 cells using BAD(Ab-112) Antibody #21062 and the same antibody preincubated with blocking peptide.



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using BAD(Ab-112) Antibody #21062(left) or the same antibody preincubated with blocking peptide(right).

Background

The protein encoded by BAD gene is a member of the BCL-2 family. BCL-2 family members are known to be regulators of programmed cell death. This protein positively regulates cell apoptosis by forming heterodimers with BCL-xL and BCL-2, and reversing their death repressor activity. Proapoptotic activity of this protein is regulated through its phosphorylation. Protein kinases AKT and MAP kinase, as well as protein phosphatase calcineurin were found to be involved in the regulation of this protein. Alternative splicing of this gene results in two transcript variants which encode the same isoform.

Zhang B, et al. (2004). Mol Cell Biol.24 (14): 6205-6214.

Rice PL, et al. (2003). Cancer Res.63 (3): 616-620.

Wang XQ, et al. (2001). J Biol Chem.276 (48): 44504-44511.

Published Papers

el at., Xanthohumol exerts protective effects in liver alterations associated with aglng. In Eur J Nutr on 2019 Mar by Fern ndez-Garc a C, Rancan L, et al.. PMID: 29536163, , (2019)

PMID:29536163

el at., Protective effect of resveratrol against inflammation, oxidative stress and apoptosis in pancreas of aged SAMP8 mice.ln Exp Gerontol on 2017 Apr by Cristina Ginθ s , Sara Cuesta,,et al..PMID: 28130161, , (2017)

PMID:28130161

Note: This product is for in vitro research use only and is not intended for use in humans or animals.