IGF-1R(Ab-1161) Antibody

Catalog No: #21080

Package Size: #21080-1 50ul #21080-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description

| Product Name | IGF-1R(Ab-1161) Antibody |
|-----------------------|---|
| Host Species | Rabbit |
| Clonality | Polyclonal |
| Purification | Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were |
| | purified by affinity-chromatography using epitope-specific peptide. |
| Applications | WB IHC IF |
| Species Reactivity | Hu Ms Rt |
| Specificity | The antibody detects endogenous level of total IGF-1R protein. |
| Immunogen Type | Peptide-KLH |
| Immunogen Description | Peptide sequence around aa.1159~1163 (D-I-Y-E-T) derived from Human IGF-1R . |
| Conjugates | Unconjugated |
| Target Name | IGF-1R |
| Other Names | Insulin-like growth factor I receptor; CD221; IGF1R; kinase IGF1R; |
| Accession No. | Swiss-Prot: P08069NCBI Protein: NP_000866.1 |
| Concentration | 1.0mg/ml |
| Formulation | Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% |
| | sodium azide and 50% glycerol. |
| Storage | Store at -20°C for long term preservation (recommended). Store at 4°C for short term use. |
| | |

Application Details


Predicted MW: 200 95 kd

Western blotting: 1:500~1:1000


Immunohistochemistry: 1:50~1:100

Immunofluorescence: 1:100~1:200


Images



Western blot analysis of extracts from 293 cells using IGF-1R(Ab-1161) Antibody #21080 and the same antibody preincubated with blocking peptide.



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using IGF-1R(Ab-1161) Antibody #21080(left) or the same antibody preincubated with blocking peptide(right).



Immunofluorescence staining of methanol-fixed MCF cells using IGF-1R(Ab-1161) Antibody #21080.

Background

This receptor binds insulin-like growth factor 1 (IGF1) with a high affinity and IGF2 with a lower affinity. It has a tyrosine-protein kinase activity, which is necessary for the activation of the IGF1-stimulated downstream signaling cascade. When present in a hybrid receptor with INSR, binds IGF1. Li S, et al. (1994) J Biol Chem; 269(51).

Hernandez-Sanchez C, et al. (1995) J Biol Chem.

Published Papers

Hossein Haghir, Abd-Al-Rahim Rezaee, Hossein Nomani el at., Sexual Dimorphism in Expression of Insulin and Insulin-Like Growth Factor-I Receptors in Developing Rat Cerebellum., Cell Mol Neurobiol, 33:369n— C377(2013)

PMID:23322319

TAKETSUGU YAMAMOTO, TAKASHI OSHIMA, KAZUE YOSHIHARA el at., Clinical significance of immunohistochemical expression of insulin-like growth factor-1 receptor and matrix metalloproteinase-7 in resected non-small cell lung cancer, EXPERIMENTAL AND THERAPEUTIC MEDICINE, 3(5):797-802.(2012)

PMID:22969971

el at., The effects of maternal diabetes on expression of insulin-like growth factor-1 and insulin receptors in male developing rat hippocampus.In Brain Struct Funct on 2013 Jan by Hami J, Sadr-Nabavi A,et al..PMID:22241286, , (2013)

PMID:22241286

el at., Sexual dimorphism in expression of insulin and insulin-like growth factor-I receptors in developing rat cerebellum.In Cell Mol Neurobiol on 2013 Apr by Haghir H, Rezaee AA,et al..PMID:23322319, , (2013)

PMID:23322319

el at., Circular RNA_PDHX Promotes the Proliferation and Invasion of Prostate Cancer by Sponging MiR-378a-3p. In Front Cell Dev Biol on 2021 Jan 28 by Yuanshen Mao, Wenfeng Li,et al..PMID:33634097, , (2021)

PMID:33634097

| Note: This product is for in vitro research use only and is not intended for use in humans or animals. |
|--|
| The product is for in vitro recognish and is not internated for account name of animals. |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |