# TBCC antibody

Catalog No: #22130

Package Size: #22130 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

# Description


Product Name	TBCC antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Purified by antigen-affinity chromatography.
Applications	WB
Species Reactivity	Hu
Immunogen Type	Recombinant protein
Immunogen Description	Recombinant protein fragment contain a sequence corresponding to a region within amino acids 2 and 306 of
	Human TBCC
Conjugates	Unconjugated
Target Name	TBCC
Accession No.	Swiss-Prot:Q15814Gene ID:6903
Concentration	0.8mg/ml
Formulation	Supplied in 0.1M Tris-buffered saline with 10% Glycerol (pH7.0). 0.01% Thimerosal was added as a
	preservative.
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.

### **Application Details**

Predicted MW: 39kd

Western blotting: 1:500-1:3000

## **Images**



Sample(30 ug of whole cell lysate)

A: A431

B: H1299

12% SDS PAGE

Primary antibody diluted at 1: 1500

## Background

Cofactor C is one of four proteins (cofactors A, D, E, and C) involved in the pathway leading to correctly folded beta-tubulin from folding intermediates. Cofactors A and D are believed to play a role in capturing and stabilizing beta-tubulin intermediates in a quasi-native confirmation. Cofactor E binds to

the cofactor D/beta-tubulin complex; interaction with cofactor C then causes the release of beta-tubulin polypeptides that are committed to the native
state. [provided by RefSeq]

Note: This product is for in vitro research use only and is not intended for use in humans or animals.