CD27L(CD27L(CD70)) antibody

Catalog No: #22409

Package Size: #22409 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description


Product Name	CD27L(CD27L(CD70)) antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Purified by antigen-affinity chromatography.
Applications	WB
Species Reactivity	Hu
Immunogen Type	Peptide
Immunogen Description	Synthetic peptide contain a sequence corresponding to a region within amino acids 129 and 193 of CD27L
	(CD70)
Conjugates	Unconjugated
	, -
Target Name	CD27L(CD27L(CD70))
Target Name Accession No.	CD27L(CD27L(CD70)) Swiss-Prot:P32970Gene ID:970
Accession No.	Swiss-Prot:P32970Gene ID:970
Accession No. Concentration	Swiss-Prot:P32970Gene ID:970 1mg/ml
Accession No. Concentration	Swiss-Prot:P32970Gene ID:970 1mg/ml Supplied in 0.1M Tris-buffered saline with 10% Glycerol (pH7.0). 0.01% Thimerosal was added as a

Application Details

Predicted MW: 21kd

Western blotting: 1:500-1:3000

Images



Sample (30 ug of whole cell lysate)
A: JurKat
12% SDS PAGE
CD27L (CD70) antibody diluted at 1: 1000

Background

The protein encoded by this gene is a cytokine that belongs to the tumor necrosis factor (TNF) ligand family. This cytokine is a ligand for TNFRSF27/CD27. It is a surface antigen on activated, but not on resting, T and B lymphocytes. It induces proliferation of costimulated T cells,

enhances the generation of cytolytic T cells, and contributes to T cell activation. This cytokine is also reported to play a role in regulating B-cell activation, cytotoxic function of natural killer cells, and immunoglobulin sythesis. [provided by RefSeq]

Note: This product is for in vitro research use only and is not intended for use in humans or animals.