

Cleaved-caspase 3 antibody

Catalog No: #29034

Package Size: #29034 100ul

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Description


Product Name	Cleaved-caspase 3 antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Immunogen affinity purified
Applications	WB IHC
Species Reactivity	Hu Ms Rt
Specificity	Caspase 3 (p17,Cleaved-Asp175) Antibody detects endogenous levels of fragment of activated Caspase 3 resulting from cleavage adjacent to Asp175.
Conjugates	Unconjugated
Target Name	Cleaved-caspase 3
Other Names	Apopain precursor; CASP-3; CPP-32; CPP32; Caspase-3; Cysteine protease CPP32; ICE3; SCA-1; SREBP cleavage activity 1; Yama protein,p17
Accession No.	Swiss-Prot#: P42574
SDS-PAGE MW	17KD
Concentration	1.0mg/ml
Formulation	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at -20°C/1 year

Application Details

WB: 1:500-1:2000

IHC: 1:50-1:200

Images



Background

This gene encodes a protein which is a member of the cysteine-aspartic acid protease (caspase) family. Sequential activation of caspases plays a

central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes which undergo proteolytic processing at conserved aspartic residues to produce 2 subunits, large and small, that dimerize to form the active enzyme.

Published Papers

el at., CTRH2 promotes endoplasmic reticulum stress induced cardiomyocyte apoptosis through m calpain.In EMBO Mol Med. On 2018 Mar by Zuo S, Kong D et al..PMID: 29335338 , , (2018)

[PMID:29335338](#)

el at., Effects of transcription factor EB on oxidative stress and apoptosis Induced by high glucose In podocytes. In Int J Mol Med on 2019 May 24 by Kang Y, Li Y, et al.. PMID: 31173156, , (2019)

[PMID:31173156](#)

el at., DNA?PKcs Inhibitor Increases the sensitivity of gastric cancer cells to radiotherapy. In Oncol Rep on 2019 Jun 6 by Geng W, Tian D, et al.. PMID:31173270, , (2019)

[PMID:31173270](#)

el at., Potential role of the cAMP/PKA/CREB signalling pathway In hypoxic preconditioning and effect on propofol?Induced neurotoxicity In the hippocampus of neonatal rats.In Mol Med Rep on 2019 Aug by Guan R, Lv J, et al..PMID:31257533, , (2019)

[PMID:31257533](#)

el at., PIWI-Interacting RNA-004800 Is Regulated by S1P Receptor Signaling Pathway to Keep Myeloma Cell Survival.In Front Oncol on 2020 Apr 15 by Ma H, Wang H, et al..PMID: 32351883, , (2020)

[PMID:32351883](#)

el at., The Natural Compound Myricetin Effectively Represses the Malignant Progression of Prostate Cancer by Inhibiting PIM1 and Disrupting the PIM1/CXCR4 Interaction .In Cell Physiol Biochem. On 2018 by Ye C, Zhang C et al..PMID: 30045021, , (2018)

[PMID:30045021](#)

el at., Risperidone ameliorated A β Y1-42-induced cognitive and hippocampal synaptic impairments in mice.In Behav Brain Res on 2017 Mar 30 by Lingzhi Wu , Xiaowen Feng,et al..PMID: 28093254, , (2017)

[PMID:28093254](#)

el at., Resveratrol Protects Podocytes Against Apoptosis via Stimulation of Autophagy in a Mouse Model of Diabetic Nephropathy.In Sci Rep on 2017 Apr 4 by Shan-Shan Huang, Da-Fa Ding,et al..PMID: 28374806, , (2017)

[PMID:28374806](#)

el at., Thromboxane A2 receptor inhibition suppresses multiple myeloma cell proliferation by inducing p38/c-Jun N-terminal kinase (JNK) mitogen-activated protein kinase .In J Biol Chem on 2016 Feb 26 et al..PMID:26724804, , (2016)

[PMID:26724804](#)

el at., Down-Regulated Exosomal MicroRNA-221 - 3p Derived From Senescent Mesenchymal Stem Cells Impairs Heart Repair. In Front Cell Dev Biol on 2020 May 5 by Ling Sun, Wenwu Zhu, et al..PMID: 32432109, , (2020)

[PMID:32432109](#)

el at., Macrophage migration inhibitory factor facilitates the therapeutic efficacy of mesenchymal stem cells derived exosomes in acute myocardial infarction through upregulating miR-133a-3p. In J Nanobiotechnology on 2021 Feb 27 by Wenwu Zhu, Ling Sun, et al..PMID:33639970, , (2020)

[PMID:33639970](#)

el at., Macrophage migration inhibitory factor facilitates the therapeutic efficacy of mesenchymal stem cells derived exosomes in acute myocardial infarction through upregulating miR-133a-3p In J Nanobiotechnology on 2021 Feb 27 by Wenwu Zhu, Ling Sun, et al..PMID:33639970, , (2021)

[PMID:33639970](#)

el at., IFN- γ enhances the efficacy of mesenchymal stromal cell-derived exosomes via miR-21 in myocardial infarction rats. In Stem Cell Res Ther on

2022 Jul 23 by Jian Zhang, Yao Lu, et al..PMID:35870960, , (2022)

[PMID:35870960](#)

el at., The m6A reader IGF2BP3 promotes acute myeloid leukemia progression by enhancing RCC2 stability. In Exp Mol Med on 2022 Feb by Nan Zhang, Yan Shen,et al..PMID:35217832, , (2022)

[PMID:35217832](#)

el at., Tremella fuciformis polysaccharides alleviates UV-provoked skin cell damage via regulation of thioredoxin interacting protein and thioredoxin reductase 2InPhotochem Photobiol SciOn2023 OctbyMengting Lin?#?1?2?3,?Chengbei Bao et al..PMID: 37458972, , (2023)

[PMID:37458972](#)

el at., Dapagliflozin ameliorates myocardial infarction injury through AMPK α -dependent regulation of oxidative stress and apoptosis. In Heliyon on 2024 Apr 4 by Yuce Peng, Mingyu Guo,et al..PMID:38617915, , (2024)

[PMID:38617915](#)

Note: This product is for in vitro research use only and is not intended for use in humans or animals.