# IFIT5 Antibody

Catalog No: #35225

Package Size: #35225-1 50ul #35225-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


|     |     | 4.5  |   |
|-----|-----|------|---|
| Des | cri | ntin | n |
| レしこ | 011 | Duo  | ш |
|     |     |      |   |

| Product Name          | IFIT5 Antibody  |
|-----------------------|---|
| Host Species          | Rabbit  |
| Clonality             | Polyclonal  |
| Purification          | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific      |
|                       | immunogen.  |
| Applications          | WB  |
| Species Reactivity    | Hu  |
| Specificity           | The antibody detects endogenous levels of total IFIT5 protein.  |
| Immunogen Type        | Peptide   |
| Immunogen Description | Synthesized peptide derived from internal of human IFIT5.   |
| Conjugates            | Unconjugated  |
| Target Name           | IFIT5   |
| Other Names           | IFIT-5; interferon-induced protein with tetratricopeptide repeats 5; retinoic acid- and interferon-inducible 58 |
|                       | kDa protein; RI58;  |
| Accession No.         | Swiss-Prot: Q13325NCBI Gene ID: 24138   |
| SDS-PAGE MW           | 50kd  |
| Concentration         | 1.0mg/ml  |
| Formulation           | Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide         |
|                       | and 50% glycerol.   |
| Storage               | Store at -20°C  |

## **Application Details**

Western blotting: 1:500~1:3000

## **Images**



Western blot analysis of extracts from Jurkat cells, using IFIT5 antibody #35225.

#### Background

Interferon-induced RNA-binding protein that specifically binds single-stranded RNA bearing a 5'-triphosphate group (PPP-RNA), thereby acting as a sensor of viral single-stranded RNAs. Single-stranded PPP-RNAs, which lack 2'-O-methylation of the 5' cap and bear a 5'-triphosphate group instead, are specific from viruses, providing a molecular signature to distinguish between self and non-self mRNAs by the host during viral infection. Directly binds PPP-RNA in a non-sequence-specific manner. Also recognizes and binds tRNAs.

Rogers J., Nature 429:375-381(2004).

Venter J.C., Submitted (SEP-2005).

Bennett K.L., Submitted (OCT-2008).

#### **Published Papers**

el at., NF-kB-Dependent IFIT3 Induction by HBx Promotes Hepatitis B Virus Replication. In Front Microbiol on 2019 Oct 11 by Xu F, Song H, et al..PMID:31681236, , (2019)

PMID:31681236

Note: This product is for in vitro research use only and is not intended for use in humans or animals.