# FZD10 Antibody

Catalog No: #37298

Package Size: #37298 100ul



Support: tech@signalwayantibody.com


Description

Product Name	FZD10 Antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Antigen affinity purification.
Applications	IHC
Species Reactivity	Hu Ms
Specificity	The antibody detects endogenous levels of total FZD10 protein.
Immunogen Type	Peptide
Immunogen Description	Synthetic peptide corresponding to a region derived from internal residues of human frizzled family receptor 10
Conjugates	Unconjugated
Target Name	FZD10
Other Names	Fz10; FzE7; CD350; FZ-10; hFz10
Accession No.	Swiss-Prot#: Q9ULW2NCBI Gene ID: 11211Gene Accssion: NP_009128
Concentration	1.9mg/ml
Formulation	Rabbit IgG in pH7.4 PBS, 0.05% NaN3, 40% Glycerol.
Storage	Store at -20°C


#### **Application Details**

Immunohistochemistry: 1:50-1:200

## Images



Immunohistochemical analysis of paraffin-embedded Human lung cancer tissue using #37298 at dilution 1/50.



Immunohistochemical analysis of paraffin-embedded Human ovarian cancer tissue using #37298 at dilution 1/50.

## Background

This gene is a member of the frizzled gene family. Members of this family encode 7-transmembrane domain proteins that are receptors for the Wingless type MMTV integration site family of signaling proteins. Most frizzled receptors are coupled to the beta-catenin canonical signaling pathway. Using array analysis, expression of this intronless gene is significantly up-regulated in two cases of primary colon cancer.

#### **Published Papers**

Zhao Ma;Qin Li;Peng Liu;Wei Dong;Ying Zuo el at., METTL3 regulates m6A in endometrioid epithelial ovarian cancer independently of METTI14 and WTAP, , (2020)

PMID:32869897

Note: This product is for in vitro research use only and is not intended for use in humans or animals.