Myc-Tag HRP conjugated Antibody

Catalog No: #48108

Package Size: #48108-1 50ul #48108-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


| $\overline{}$ | | 4.5 |
|---------------|-------|-------|
| I) | escri | ption |
| _ | 00011 | Puon |

| Product Name | Myc-Tag HRP conjugated Antibody |
|-----------------------|--|
| Host Species | Mouse |
| Clonality | Monoclonal |
| Clone No. | A3-B4 |
| Purification | ProG affinity purified |
| Applications | WB |
| Immunogen Description | peptide |
| Conjugates | HRP |
| Other Names | avian myelocytomatosis viral oncogene homolog antibody bHLHe39 antibody c-Myc antibody class E basic |
| | helix-loop-helix protein 39 antibody MRTL antibody MYC antibody Myc Epitope Tag antibody myc |
| | proto-oncogene protein antibody myc-related translation/localization regulatory factor antibody oncogene |
| | c-Myc antibody proto-oncogene c-Myc antibody protooncogene homologous to myelocytomatosis virus |
| | antibody transcription factor p64 antibody v-myc avian myelocytomatosis viral oncogene homolog antibody |
| | v-myc myelocytomatosis viral oncogene homolog (avian) antibody |
| Accession No. | Swiss-Prot#: |
| Formulation | 1*TBS (pH7.4), 1%BSA, 40%Glycerol. Preservative: 0.05% Sodium Azide. |
| Storage | Store at -20°C |
| | |

Application Details

WB: 1:1,000-1:2,000

Images



Western blot analysis on myc-tagged fusion protein (80kDa).

Background

Myc gene encodes for a transcription factor that is believed to regulate expression of 15% of all genes through binding on Enhancer Box sequences (E-boxes) and recruiting histone acetyltransferases (HATs). c-Myc is commonly activated in a variety of tumor cells and plays an important role in

cellular proliferation, differentiation, apoptosis and cell cycle progression. This Myc-Tag antibody detects Myc-tagged fusion proteins.

| R | _ (| | | - | _ | |
|---|------------|---|--------|---|--------|--------|
| | α T | വ | \sim | n | \sim | \sim |
| | | | | | | |

Note: This product is for in vitro research use only and is not intended for use in humans or animals.