Glucose Transporter GLUT1 Rabbit mAb

Catalog No: #48596

Package Size: #48596-1 50ul #48596-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


$\overline{}$			
	Accri	iption	
\boldsymbol{L}	COUL	เมนเบบ	
		10.0	

Product Name	Glucose Transporter GLUT1 Rabbit mAb	
Clonality	Monoclonal	
Clone No.	SA0377	
Purification	Affinity-chromatography	
Applications	WB, ICC/IF, IHC, FC	
Species Reactivity	Hu, Ms, Rt	
Immunogen Description	A synthesized peptide derived from human Glucose Transporter GLUT1	
Conjugates	Unconjugated	
Other Names	Choreoathetosis/spasticity episodic (paroxysmal choreoathetosis/spasticity) antibody CSE antibody DYT17	
	antibody DYT18 antibody DYT9 antibody EIG12 antibody erythrocyte/brain antibody Erythrocyte/hepatoma	
	glucose transporter antibody facilitated glucose transporter member 1 antibody Glucose transporter 1 antibody	
	Glucose transporter type 1 antibody Glucose transporter type 1, erythrocyte/brain antibody GLUT antibody	
	GLUT-1 antibody GLUT1 antibody GLUT1DS antibody GLUTB antibody GT1 antibody GTG1 antibody Gtg3	
	antibody GTR1_HUMAN antibody HepG2 glucose transporter antibody HTLVR antibody Human T cell	
	leukemia virus (I and II) receptor antibody MGC141895 antibody MGC141896 antibody PED antibody	
	RATGTG1 antibody Receptor for HTLV 1 and HTLV 2 antibody SLC2A1 antibody Solute carrier family 2	
	(facilitated glucose transporter), member 1 antibody Solute carrier family 2 antibody Solute carrier family 2,	
	facilitated glucose transporter member 1 antibody	
Accession No.	Swiss-Prot#:P11166	
Calculated MW	54 kDa	
Formulation	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	
Storage	Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.	


Application Details

WB 1:500~1:2000 IHC 1:50~1:200 ICC/IF 1:50~1:200 FC 1:50


Images




Immunohistochemical analysis of paraffin-embedded Rat hippocampus , using the Antibody at 1:300 dilution.




Immunohistochemical analysis of paraffin-embedded human cervix cancer, using GLUT1 Antibody.



Immunohistochemical analysis of paraffin-embedded Mouse kidney, using the Antibody at 1:300 dilution.



Immunofluorescent analysis of HepG2 cells, using GLUT1 Antibody .



Western blot analysis of GLUT1 expression in HepG2 lysate.

Background

GLUT1 an integral membrane protein that plays an important role in the glycolytic pathway by serving as a uniporter for glucose. One of 13 members of the human equilibrative glucose transport protein family. Transports a wide range of aldoses, including both pentoses and hexoses, and dehydroascorbic acid. Shown to transport water against an osmotic gradient.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.
The product is for in vitro recognish as only and is not interface for account name of animals.