# S100A9 Rabbit mAb

Catalog No: #49387

Package Size: #49387-1 50ul #49387-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


## Description

Product Name	S100A9 Rabbit mAb
Host Species	Recombinant Rabbit
Clonality	Monoclonal
Clone No.	JF096-8
Purification	ProA affinity purified
Applications	WB, ICC/IF, IHC
Species Reactivity	Hu
Immunogen Description	recombinant protein
Conjugates	Unconjugated
Other Names	Leukocyte L1 complex heavy chain antibody 60B8AG antibody CAGB antibody Calgranulin B antibody
	Calgranulin-B antibody Calprotectin L1H subunit antibody CFAG antibody CGLB antibody Cystic fibrosis
	antigen B antibody L1AG antibody Leukocyte L1 complex heavy chain antibody LIAG antibody MAC387
	antibody MIF antibody Migration inhibitory factor related protein 14 antibody Migration inhibitory factor-related
	protein 14 antibody MRP 14 antibody MRP-14 antibody MRP14 antibody Myeloid-related protein 14 antibody
	NIF antibody OTTHUMP00000015331 antibody p14 antibody Protein S100-A9 antibody S100 A9 antibody
	S100 calcium binding protein A9 antibody S100 calcium binding protein A9 calgranulin B antibody S100
	calcium-binding protein A9 antibody S100A9 antibody S10A9_HUMAN antibody
Accession No.	Swiss-Prot#:P06702
Calculated MW	14 kDa
Formulation	1*TBS (pH7.4), 1%BSA, 40%Glycerol. Preservative: 0.05% Sodium Azide.
Storage	Store at -20°C


### **Application Details**

WB: 1:1,000IHC: 1:50-1:200ICC: 1:50-1:200


### **Images**




Immunohistochemical analysis of paraffin-embedded human tonsil tissue using anti-S100A9 antibody. Counter stained with hematoxylin.




Immunohistochemical analysis of paraffin-embedded human liver cancer tissue using anti-S100A9 antibody. Counter stained with hematoxylin.




Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using anti-S100A9 antibody. Counter stained with hematoxylin.




Immunohistochemical analysis of paraffin-embedded human lung cancer tissue using anti-S100A9 antibody. Counter stained with hematoxylin.




Immunohistochemical analysis of paraffin-embedded human spleen tissue using anti-S100A9 antibody. Counter stained with hematoxylin.



ICC staining S100A9 in A549 cells (red). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



ICC staining S100A9 in Hela cells (red). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



ICC staining S100A9 in HepG2 cells (red). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.

#### Background

The family of EF-hand type Ca2+-binding proteins includes Calbindin (previously designated vitamin D-dependent Ca2+-binding protein), S-100 $\alpha$  and  $\beta$ , Calgranulin A (also designated MRP8), Calgranulin B (also designated MRP14) and Calgranulin C (S-100 like protein), and the parvalbumin family members, including parvalbumin  $\alpha$  and parvalbumin  $\beta$  (also designated oncomodulin). Calbindin, S-100 proteins and parvalbumin proteins are each expressed in neural tissues. In addition, S-100 $\alpha$  and  $\beta$  are present in a variety of other tissues, and Calbindin is present in intestine and kidney. Parvalbumin  $\alpha$  is also found in fast-contracting/relaxing skeletal muscle fibers and parvalbumin  $\beta$  is found in many tumor tissues as well as in the organ of Corti. Calbindin, S-100 proteins and parvalbumins have all been detected in leydig cells and testis. These proteins are thought to play a role in hormone production and spermatogenesis. Calgranulin is expressed in macrophages and epithelial cells.

#### References

Note: This product is for in vitro research use only and is not intended for use in humans or animals.