# MAML2 Rabbit Polyclonal Antibody

Catalog No: #54397

Package Size: #54397-1 50ul #54397-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


#### Description

Product Name	MAML2 Rabbit Polyclonal Antibody
Host Species	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purification	Affinity purification
Applications	WB,IF
Species Reactivity	Human,Mouse,Rat
Immunogen Description	A synthetic peptide of human MAML2 (NP_115803.1).
Conjugates	Unconjugated
Other Names	MAML2;MAM-3;MAM2;MAM3;MLL-MAML2
Accession No.	Swiss Prot:Q8IZL2Gene ID:84441
Calculated MW	_
SDS-PAGE MW	150kDa
Formulation	Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
Storage	Store at -20°C. Avoid freeze / thaw cycles.


#### **Application Details**

WB□1:500 - 1:2000IF□1:50 - 1:200

### **Images**



Western blot analysis of extracts of various cell lines, using MAML2 Rabbit pAb.



Immunofluorescence analysis of C6 cells using MAML2 antibody.

## Background

The protein encoded by this gene is a member of the Mastermind-like family of proteins. All family members are proline and glutamine-rich, and contain a conserved basic domain that binds the ankyrin repeat domain of the intracellular domain of the Notch receptors (ICN1-4) in their N-terminus, and a transcriptional activation domain in their C-terminus. This protein binds to an extended groove that is formed by the interaction of CBF1, Suppressor of Hairless, LAG-1 (CSL) with ICN, and positively regulates Notch signaling. High levels of expression of this gene have been observed in several B cell-derived lymphomas. Translocations resulting in fusion proteins with both CRTC1 and CRTC3 have been implicated in the development of mucoepidermoid carcinomas, while a translocation event with CXCR4 has been linked with chronic lymphocytic leukemia (CLL). Copy number variation in the polyglutamine tract has been observed.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.