

CXCR4 Antibody PE Conjugated

Catalog No: #C00603P

Package Size: #C00603P 100ul

Description

Product Name	CXCR4 Antibody PE Conjugated
Host Species	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purification	Purified by Protein A.
Applications	FCM
Species Reactivity	Hu Ms Rt
Immunogen Description	KLH conjugated synthetic peptide aa 217-241 352 derived from human CXCR4
Conjugates	PE
Target Name	CXCR4
Other Names	C-X-C chemokine receptor type 4; CXC-R4; CXCR-4; FB22; Fusin; HM89; LCR1; Leukocyte-derived seven transmembrane domain receptor; LESTR; Lipopolysaccharide-associated protein 3; LAP-3; LPS-associated protein 3; NPYRL; Stromal cell-derived factor 1 receptor; SDF-1 receptor; CD184; CXCR4
Accession No.	NCBI Gene ID7852
Cell Localization	Cytoplasm
Concentration	1mg ml
Formulation	10mM Tris Buffered Saline containing 1% BSA, 50% glycerol and 0.09% sodium azide.
Storage	Store at 4C for 12 months.

Application Details

FCM: 1:20-100

Background

Receptor for the C-X-C chemokine CXCL12 SDF-1 that transduces a signal by increasing intracellular calcium ion levels and enhancing MAPK1 MAPK3 activation. Acts as a receptor for extracellular ubiquitin; leading to enhanced intracellular calcium ions and reduced cellular cAMP levels. Involved in hematopoiesis and in cardiac ventricular septum formation. Also plays an essential role in vascularization of the gastrointestinal tract, probably by regulating vascular branching and or remodeling processes in endothelial cells. Involved in cerebellar development. In the CNS, could mediate hippocampal-neuron survival. Acts as a coreceptor (CD4 being the primary receptor) for HIV-1 X4 isolates and as a primary receptor for some HIV-2 isolates. Promotes Env-mediated fusion of the virus. Binds bacterial lipopolysaccharide (LPS) et mediates LPS-induced inflammatory response, including TNF secretion by monocytes.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.