Product Datasheet

GAPDH Antibody HRP Conjugated

Catalog No: #C03990H

Package Size: #C03990H 100ul



Support: tech@signalwayantibody.com

Description

Beccupation	
Product Name	GAPDH Antibody HRP Conjugated
Host Species	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purification	Purified by Protein A.
Applications	WB IHC-P IHC-F
Species Reactivity	Hu Ms Rt Rab
Immunogen Description	GAPDH protein of rabbit
Conjugates	HRP
Target Name	GAPDH
Other Names	G3PD; GAPD; HEL-S-162eP; Glyceraldehyde-3-phosphate dehydrogenase; GAPDH; Peptidyl-cysteine
	S-nitrosylase GAPDH; CDABP47; OK SW-cl.12
Accession No.	Swiss-Prot#P04406NCBI Gene ID2597
Cell Localization	Cytoplasm
Concentration	1mg ml
Formulation	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Application Details

WB=1:10000-20000 IHC-P=1:50-200 IHC-F=1:50-200

Background

Has both glyceraldehyde-3-phosphate dehydrogenase and nitrosylase activities, thereby playing a role in glycolysis and nuclear functions, respectively. Participates in nuclear events including transcription, RNA transport, DNA replication and apoptosis. Nuclear functions are probably due to the nitrosylase activity that mediates cysteine S-nitrosylation of nuclear target proteins such as SIRT1, HDAC2 and PRKDC. Modulates the organization and assembly of the cytoskeleton. Facilitates the CHP1-dependent microtubule and membrane associations through its ability to stimulate the binding of CHP1 to microtubules (By similarity). Glyceraldehyde-3-phosphate dehydrogenase is a key enzyme in glycolysis that catalyzes the first step of the pathway by converting D-glyceraldehyde 3-phosphate (G3P) into 3-phospho-D-glyceroyl phosphate. Component of the GAIT (gamma interferon-activated inhibitor of translation) complex which mediates interferon-gamma-induced transcript-selective translation inhibition in inflammation processes. Upon interferon-gamma treatment assembles into the GAIT complex which binds to stem loop-containing GAIT elements in the 3'-UTR of diverse inflammatory mRNAs (such as ceruplasmin) and suppresses their translation.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.