CD163L1 Conjugated Antibody

Catalog No: #C57167



Package Size: #C57167-AF350 100ul #C57167-AF405 100ul #C57167-AF488 100ul #C57167-AF555 100ul #C57167-AF55

#C57167-AF647 100ul #C57167-AF680 100ul #C57167-AF750 100ul #C57167-Biotin 100ul Support: tech@signalwayantibody.com

Description

Product Name	CD163L1 Conjugated Antibody
Host Species	Rabbit
Clonality	Monoclonal
Isotype	lgG
Purification	Affinity-chromatography
Species Reactivity	Human
Specificity	CD163L1 Antibody detects endogenous levels of total CD163L1
Conjugates	AF Dye
Other Names	CD163b; CD163L1; CD164L1; M160; Scart1;
Accession No.	Q9NR16
Calculated MW	160kDa
Formulation	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at 4°C in dark for 6 months

Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250
AF405 conjugated: most applications: 1: 50 - 1: 250
AF488 conjugated: most applications: 1: 50 - 1: 250
AF555 conjugated: most applications: 1: 50 - 1: 250
AF594 conjugated: most applications: 1: 50 - 1: 250
AF647 conjugated: most applications: 1: 50 - 1: 250
AF680 conjugated: most applications: 1: 50 - 1: 250
AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

Background

Isoform 1 is highly expressed in the spleen, lymph nodes, thymus, and fetal liver and weakly expressed in bone marrow and no expression was found in peripheral blood leukocytes. Isoform 1 expression is restricted to the monocyte and macrophage cell lines. Isoform 2 is only expressed in spleen.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.