## **Product Datasheet**

## SKP2 (Phospho-Ser64) Antibody

Catalog No: #SAB480P

Package Size: #SAB480P-1 50ul #SAB480P-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

| _  |      |     |     |
|----|------|-----|-----|
| De | ecri | nti | Λn  |
| レし | JULI | ΙVU | OI. |
|    |      |     |     |

| Product Name       | SKP2 (Phospho-Ser64) Antibody   |  |
|--------------------|---|--|
| Host Species       | Rabbit  |  |
| Clonality          | Polyclonal  |  |
| Purification       | Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were   |  |
|                    | purified by affinity-chromatography using epitope-specific peptide.   |  |
| Applications       | Custom antibody   |  |
| Species Reactivity | Hu  |  |
| Immunogen Type     | Peptide-KLH   |  |
| Conjugates         | Unconjugated  |  |
| Target Name        | SKP2  |  |
| Other Names        | FBXL1??Cyclin-A/CDK2-associated protein p45   |  |
| Accession No.      | uniprot:Q13309  |  |
| Calculated MW      | 48kDa   |  |
| Formulation        | Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%  |  |
|                    | sodium azide and 50% glycerol.  |  |
| Storage            | Store at $-20 \circ \Omega \frac{1}{2} \circ \Omega \frac{1}{2} C$ for long term preservation (recommended). Store at $4 \circ \Omega \frac{1}{2} \circ \Omega \frac{1}{2} C$ for short term use. |  |

## **Application Details**

Western blotting: 1:500~1:1000

## Background

Substrate recognition component of a SCF (SKP1-CUL1-F-box protein) E3 ubiquitin-protein ligase complex which mediates the ubiquitination and subsequent proteasomal degradation of target proteins involved in cell cycle progression, signal transduction and transcription. Specifically recognizes phosphorylated CDKN1B/p27kip and is involved in regulation of G1/S transition. Degradation of CDKN1B/p27kip also requires CKS1. Recognizes target proteins ORC1, CDT1, RBL2, KMT2A/MLL1, CDK9, RAG2, FOXO1, UBP43, and probably MYC, TOB1 and TAL1. Degradation of TAL1 also requires STUB1. Recognizes CDKN1A in association with CCNE1 or CCNE2 and CDK2. Promotes ubiquitination and destruction of CDH1 in a CK1-Dependent Manner, thereby regulating cell migration.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.